



2024




KOVÁNÍ PRO CELOSKLO ŘEŠÍME S CITEM PRO DETAIL.

Společnost ViTRO Construction se specializuje na distribuci a technické poradenství v oblasti kování, profilů a dalších komponentů pro celoskleněné konstrukce od nejmenších instalací až po rozsáhlé projekty.

Široký sortiment je podložený silným technickým zázemím, které týmu společnosti ViTRO umožňuje přistupovat k potřebám zákazníků individuálně a opravdu se zapojit do problematiky, kterou se zabývají.

„Být u toho“ je součástí naší DNA.






TABLE OF CONTENTS


01



FITTINGS FOR
GLASS SHOWERS
GOLD SERIES

7

05



CONNECTORS
FOR GLASS
SHOWERS

191


02



FITTINGS FOR
GLASS SHOWERS
BLACK SERIES

33

06



STABILIZERS
FOR GLASS
SHOWERS

201


03



CGLASS OFFICE
BLACK SERIES

79

07



**KNOBS AND
HANDLES** FOR
GLASS SHOWERS

217


04



HINGES
FOR GLASS
SHOWERS

171

08



**SEALS,
DOORSTEPS AND
„U“ PROFILES**

227


09



**SLIDING
SYSTEMS** FOR
SHOWER CABINS

251

13



ALUMINIUM
SYSTEMS FOR
OFFICE GLASS
WALLS

325

10



**PATCH FITTINGS
AND FLOOR
SPRINGS**

261

14



**SLIDING
SYSTEMS** FOR
GLASS DOORS

361

11



DOOR HANDLES
FOR GLASS
DOORS

287

15



ELEMENTS FOR
GLASS CANOPIES

389


12



**LOCKS AND
HINGES** FOR
GLASS DOORS



301

16



**GLASS
BALUSTRADE
SYSTEMS**

395




01

FITTINGS FOR GLASS SHOWERS **GOLD SERIES**


„Gold Series” Hardware

Swing hinge glass-glass 90° VERONA PREMIUM SLIM







VER-S-BJ-90-G




Glass preparation without seal



Glass preparation with seal



Closing angle adjustment



Adjustment of the closing angle $\pm 10^\circ$
relative to the 0 position
(from the cover side - 4mm Allen key)

Product code **Finish**

VER-S-BJ-90-G **gold**

Properties

Glass thickness 8-10 mm

Max. load on 2 hinges 50 kg


Material brass

Adjustment of the closing angle $\pm 10^\circ$ relative
to the 0 position

Swing hinge glass-glass 180°
VERONA PREMIUM SLIM


VER-S-BJ-180-G

Glass preparation without seal





Fixed panel

Door




Fixed panel

Door




Glass preparation with seal




Fixed panel

Door



Fixed panel


Door




Product code	Finish
VER-S-BJ-180-G	gold
Properties	
Glass thickness	8-10 mm
Max. load on 2 hinges	50 kg
Material	brass
Adjustment of the closing angle $\pm 10^\circ$ relative to the 0 position	

Swing hinge wall-glass 90° VERONA PREMIUM







VER-BJ-90-G



Glass preparation without seal




Glass preparation with seal




Product code	Finish
VER-BJ-90-G	gold
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	


Swing hinge glass-glass 180° VERONA PREMIUM
VER-BJ-180-G



Glass preparation without seal




Glass preparation with seal




Product code	Finish
VER-BJ-180-G	gold
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 90° VERONA PREMIUM







VER-BJ-90GG-G



Glass preparation with seal





Glass preparation without seal



Product code	Finish
VER-BJ-90GG-G	gold
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle $\pm 10^\circ$ relative to starting position	






Swing hinge glass-glass 135° VERONA PREMIUM
VER-BJ-135-G



Product code	Finish
VER-BJ-135-G	gold
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle $\pm 10^\circ$ relative to starting position	

Lift hinge wall-glass 90° left VERONA SLIM






VER-SLIM-90-L-G



Product code	Finish
VER-SLIM-90-L-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge wall-glass 90° right VERONA SLIM



VER-SLIM-90-R-G



Product code	Finish
VER-SLIM-90-R-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge wall-glass 90° left VERONA SLIM



VER-SLIM-B90-L-G



Product code	Finish
VER-SLIM-B90-L-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge wall-glass 90° right VERONA SLIM


VER-SLIM-B90-R-G




Product code	Finish
VER-SLIM-B90-R-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge glass-glass left 180° VERONA SLIM

VER-SLIM-180-L-G




Product code	Finish
VER-SLIM-180-L-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg




Lift hinge glass-glass right 180° VERONA SLIM

VER-SLIM-180-R-G







Product code	Finish
VER-SLIM-180-R-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg



Connector wall-glass VERONA SLIM





VER-SLIM-900-G



Product code	Finish
VER-SLIM-900-G	gold
Properties	
Glass thickness	6-10 mm
Material	brass

Connector wall-glass 90° VERONA SLIM




VER-SLIM-901-G




Product code	Finish
VER-SLIM-901-G	gold
Properties	
Glass thickness	6-10 mm
Material	brass

Connector glass-glass 90° VERONA SLIM

VER-SLIM-902-G






Product code	Finish
VER-SLIM-902-G	gold
Properties	
Glass thickness	6-10 mm
Material	brass



Connector glass-glass VERONA SLIM



VER-SLIM-903-G



Product code	Finish
VER-SLIM-903-G	gold
Properties	
Glass thickness	6-10 mm
Material	brass

Left corner stabilizer 220x140



C500L-G



Product code	Finish
C500L-G	gold
Properties	
Material	brass
Glass thickness	8-12 mm
Drilling holes in glass not needed	



Left corner stabilizer 220x140

C500R-G





Product code	Finish
C500R-G	gold
Properties	
Material	brass
Glass thickness	8-12 mm
Drilling holes in glass not needed	

Three-way connector
NTKSQ803-G





Product code	Finish
NTKSQ803-G	gold
Properties	
Material	brass

Mounting wall-bar 90°
NTKSQ807-G



Product code	Finish
NTKSQ807-G	gold
Properties	
Material	brass



Open mounting bar-glass 90°
NTKSQ816-G



Product code	Finish
NTKSQ816-G	gold
Properties	
Material	brass

Closed mounting bar-glass 90°



NTKSQ817-G



Product code	Finish
NTKSQ817-G	gold
Properties	
Material	brass

Mounting bar-glass-ceiling



NTKSQ817B-G



Product code	Finish
NTKSQ817B-G	gold
Properties	
Material	brass

Open mounting bar-glass 180°



NTKSQ818-G



Product code	Finish
NTKSQ818-G	gold
Properties	
Material	brass

Adjustable mounting wall-bar



NTKSQ819-G



Product code	Finish
NTKSQ819-G	gold
Properties	
Material	brass

Adjustable mounting bar-glass



NTKSQ820-G



Product code	Finish
NTKSQ820-G	gold
Properties	
Material	brass

Open side mounting bar-glass



NTKSQ821-G



Product code	Finish
NTKSQ821-G	gold
Properties	
Material	brass

Adjustable mounting bar-glass




NTKSQ822-G



Product code	Finish
NTKSQ822-G	gold
Properties	
Material	brass

Adjustable mounting bar-bar


NTKSQ823-G



Product code	Finish
NTKSQ823-G	gold
Properties	
Material	brass






Stabilizer bar 10x20mm

NTK1020-G






Product code	L	Finish
NTK1020-1000-G	1000 mm	gold
NTK1020-1500-G	1500 mm	gold
Properties		
Material	stainless steel	

Door knob
NLO-GŁ-51-G




Product code	Finish
NLO-GŁ-51-G	gold
Properties	
Glass thickness	8-12 mm
Material	brass

Door knob
NLO-GŁ-2801-G



Product code	Finish
NLO-GŁ-2801-G	gold
Properties	
Glass thickness	8-12 mm
Material	brass


Doorstep
NTFALL11-G



Product code	Finish
NTFALL11-G	gold
Properties	
Material	aluminium
Length	2000 mm

Door handle 19x19 mm




NLO-ZD-2856-G



Product code	L	L ₀	Finish
NLO-ZD-2856-G	220	203	gold
Properties			
Material	stainless steel		

„U” Profile

NLO-KP-2961-G



Product code	L	Finish
NLO-KP-2961-2,5-G	2500 mm	gold
NLO-KP-2961-3,0-G	3000 mm	gold
Properties		
Material	aluminium	
Glass thickness	8 mm	

Tape for grid profile



CS-ACX



Product code	Size	Length
CS-ACX-0,7-9-33	0,7x9 mm	33 m

Grid profile

CS-1902-G




Product code	Size	Finish
CS-1902-3000-G	19x2 mm	gold anodised
Properties		
Length	3000 mm	

Adjustable point fixing - COSMO

COS




COS-4830-304



Product code	Diameter	Distance	Hole in glass	Finish
COS-4830-304-G	Ø 48	30 mm	Ø 28	gold
Properties				
Glass thickness				12-21,52 mm
Adjustment range distance				5 mm
Material				stainless steel

Aluminium magnetic seal 90° glass-wall MAGNUM




ALU-S-90-G-W-G



Product code	Finish
ALU-S-90-G-W-G	gold
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 90° glass-glass MAGNUM



ALU-S-90-G-G-G



Product code	Finish
ALU-S-90-G-G-G	gold
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 180° wall-glass MAGNUM




ALU-S-180-G-W-G



Product code	Finish
ALU-S-180-G-W-G	gold
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 180° glass-glass MAGNUM


ALU-S-180-G-G-G



Product code	Finish
ALU-S-180-G-G-G	gold
Properties	
Material	aluminium
Length	2300 mm

Sliding system

S003-G



Accessory set

NLO-DP03-S003-G



One set consists of:

Roller	2 pc.
Connector bar-wall	2 pc.
Connector glass-bar	2 pc.
Door stopper	2 pc.
Floor door stopper	2 pc.
Door handle	1 pc.
Floor guide	1 pc.


Attention: For mounting purposes, header bar needs 2 holes:

2x Ø10mm through the bar

Product code	Finish
NLO-DP03-S003-G	gold
Properties	
Max. door weight	65 kg
Glass thickness	8-12 mm
Material	stainless steel
Max. length	2000 mm

Header bar


NLO-DP03-S003-8-2-G



Product code	L	Finish
NLO-DP03-S003-8-2-G	2000 mm	gold
Properties		
Material	stainless steel	

Connector bar-bar 90°


NLO-DP03-S003-3-G



Product code	Finish
NLO-DP03-S003-3-G	gold
Properties	
Material	stainless steel

Point holder for fixed panel

NPC1213-G




Product code	Finish
NPC1213-G	gold
Properties	
Material	stainless steel


Mounting schema

S003 system


Scale 2:1



fixed panel




glass door




Usage example no. 1

Inline shower -
single sliding door




Usage example no. 2

Corner shower -
single sliding door





Usage example no. 3

Corner shower -
double sliding door



To properly design the cabin,
please contact our sales specialists.
Be careful! Different glass preparation!






02

FITTINGS FOR GLASS SHOWERS **BLACK SERIES**


„Black Series” hardware

Swing hinge glass-glass 90° VERONA PREMIUM SLIM







VER-S-BJ-90-B




Glass preparation without seal



Glass preparation with seal



Closing angle adjustment



Adjustment of the closing angle $\pm 10^\circ$
relative to the 0 position
(from the cover side - 4mm Allen key)

Product code **Finish**

VER-S-BJ-90-B **black**

Properties

Glass thickness 8-10 mm

Max. load on 2 hinges 50 kg

Material brass


Adjustment of the closing angle $\pm 10^\circ$ relative
to the 0 position

Swing hinge glass-glass 180°

VERONA PREMIUM SLIM


VER-S-BJ-180-B

Glass preparation without seal





Fixed panel

Door




Fixed panel

Door




Glass preparation with seal




Fixed panel

Door



Fixed panel


Door




Product code	Finish
VER-S-BJ-180-B	black
Properties	
Glass thickness	8-10 mm
Max. load on 2 hinges	50 kg
Material	brass
Adjustment of the closing angle $\pm 10^\circ$ relative to the 0 position	

Swing hinge wall-glass 90° VERONA PREMIUM







VER-BJ-90-B



Glass preparation without seal




Glass preparation with seal










Product code	Finish
VER-BJ-90-B	black
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge wall-glass 90° VERONA PREMIUM
VER-BJ-90T-B

Glass preparation without seal



Glass preparation with seal




Product code	Finish
VER-BJ-90T-B	black
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 90° VERONA PREMIUM







VER-BJ-90GG-B



Glass preparation with seal





Glass preparation without seal



Product code	Finish
VER-BJ-90GG-B	black
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 135° VERONA PREMIUM
VER-BJ-135-B


Glass preparation with seal




Product code	Finish
VER-BJ-135-B	black
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge glass-glass 180° VERONA PREMIUM


VER-BJ-180-B



Glass preparation without seal




Glass preparation with seal



Product code	Finish
VER-BJ-180-B	black
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	


Lift hinge wall-glass 90° left VERONA SLIM

VER-SLIM-90-L-B






Lift hinge wall-glass 90° right VERONA SLIM

VER-SLIM-90-R-B





Lift hinge wall-glass 90° left VERONA SLIM

VER-SLIM-B90-L-B






Product code	Finish
VER-SLIM-B90-L-B	black
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg





Lift hinge wall-glass 90° right VERONA SLIM

VER-SLIM-B90-R-B





Product code	Finish
VER-SLIM-B90-R-B	black
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg



Lift hinge glass-glass left 180° VERONA SLIM



VER-SLIM-180-L-B



Product code	Finish
VER-SLIM-180-L-B	black
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge glass-glass right 180° VERONA SLIM





VER-SLIM-180-R-B



Product code	Finish
VER-SLIM-180-R-B	black
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Connector wall-glass VERONA SLIM





VER-SLIM-900-B



Product code	Finish
VER-SLIM-900-B	black
Properties	
Glass thickness	6-10 mm
Material	brass

Connector wall-glass 90° VERONA SLIM



VER-SLIM-901-B



Product code	Finish
VER-SLIM-901-B	black
Properties	
Glass thickness	6-10 mm
Material	brass

Connector glass-glass 90° VERONA SLIM



VER-SLIM-902-B



Product code	Finish
VER-SLIM-902-B	black
Properties	
Glass thickness	6-10 mm
Material	brass

Connector glass-glass VERONA SLIM






VER-SLIM-903-B



Product code	Finish
VER-SLIM-903-B	black
Properties	
Glass thickness	6-10 mm
Material	brass

Screen hinge wall-glass



NLO-KP-S012P



Product code	Glass thickness	Hinge length	Finish
NLO-KP-S012-2,1-6-B	6 mm	2100 mm	black
Properties			
Material	aluminium		
Maximum load	35 kg		
Maximum width of glass	900 mm		

Connector wall-glass



NTL4000D1-B



Product code	Finish
NTL4000D1-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-glass 90°



NTL4090-B



Product code	Finish
NTL4090-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Connector wall-glass





NTL7000D1-B



Product code	Finish
NTL7000D1-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Connector wall-glass 90°





NTL7090D-B



Product code	Finish
NTL7090D-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-glass 90°






NTL7090-B



Product code	Finish
NTL7090-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Adjustable connector wall-glass



NTL7090AD-B



Product code	Finish
NTL7090AD-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Left corner stabilizer 220x140



C500L-B



Product code	Finish
C500L-B	black
Properties	
Material	brass
Glass thickness	8-12 mm
Drilling holes in glass not needed	

Right corner stabilizer 220x140



C500R-B



Product code	Finish
C500R-B	black
Properties	
Material	brass
Glass thickness	8-12 mm
Drilling holes in glass not needed	

Mounting bar-wall 90°



NLO-KP-2721-B



Product code	Finish
NLO-KP-2721-B	black
Properties	
Material	brass

Adjustable open mounting bar-glass



NLO-KP-2723B-B



Product code	Finish
NLO-KP-2723B-B	black
Properties	
Material	brass

Adjustable closed mounting bar-glass




NLO-KP-2724-B



Product code	Finish
NLO-KP-2724-B	black
Properties	
Material	brass

Three-way connector



NLO-KP-2726-B



Product code	Finish
NLO-KP-2726-B	black
Properties	
Material	brass

Adjustable mounting bar-wall


NTK-TW-011-B



Product code	Finish
NTK-TW-011-B	black
Properties	
Material	brass

Stabilizer bar Ø19



NLO-KP-2728-B



Product code	L	Finish
NLO-KP-2728-1,0-B	1000 mm	black
NLO-KP-2728-1,5-B	1500 mm	black
Properties		
Material	stainless steel	

Mounting wall-bar 90°



NTKSQ807-G



Product code	Finish
NTKSQ807-B	black
Properties	
Material	brass

Closed mounting bar-glass 90°



NTKSQ817-B



Product code	Finish
NTKSQ817-B	black
Properties	
Material	brass

Mounting bar-glass-ceiling



NTKSQ817B-B



Product code	Finish
NTKSQ817B-B	black
Properties	
Material	brass

Adjustable mounting wall-bar



NTKSQ819-B



Product code	Finish
NTKSQ819-B	black
Properties	
Material	brass

Adjustable mounting bar-glass



NTKSQ820-B



Product code	Finish
NTKSQ820-B	black
Properties	
Material	brass

Open side mounting bar-glass



NTKSQ821-B



Product code	Finish
NTKSQ821-B	black
Properties	
Material	brass

Adjustable mounting bar-glass



NTKSQ822-B



Product code	Finish
NTKSQ822-B	black
Properties	
Material	brass

Three-way connector


NTKSQ803-B



Product code	Finish
NTKSQ803-B	black
Properties	
Material	brass

Stabilizer bar 10x20mm




NTK1020-B



Product code	L	Finish
NTK1020-1000-B	1000 mm	black
NTK1020-1500-B	1500 mm	black
Properties		
Material	stainless steel	

Door knob




NLO-GŁ-2801-B



Product code	Finish
NLO-GŁ-2801-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Door knob





NLO-GŁ-2803-B



Product code	Finish
NLO-GŁ-2803-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Door knob





NLO-GŁ-51-B



Product code	Finish
NLO-GŁ-51-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Door knob




NLO-GL-52-B



Product code	Finish
NLO-GL-52-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Door handle 19x19 mm




NLO-ZD-2856-B



Product code	L	L ₀	Finish
NLO-ZD-2856-B	220	203	black
Properties			
Material	stainless steel		

Door handle 13x25 mm



NLO-ZD-2857-B



Product code	L	L ₀	Finish
NLO-ZD-2857-B	230	203	black
NLO-ZD-2857-457-B	480	455	black
NLO-ZD-2857-610-B	635	610	black
Properties			
Material	stainless steel		

Door handle Ø19 mm



NLO-ZD-2816-B



Product code	Finish
NLO-ZD-2816-B	black
Properties	
Material	stainless steel

Sliding door handle



NTDL-55-B



Product code	Finish
NTDL-55-B	black
Properties	
Glass thickness	8-12 mm
Material	stainless steel

Sliding door handle




NTDL-70-B



Product code	Finish
NTDL-70-B	black
Properties	
Glass thickness	8 mm
Material	stainless steel

Aluminium magnetic seal 90° glass-wall MAGNUM




ALU-S-90-G-W-B



Product code	Finish
ALU-S-90-G-W-B	black
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 90° glass-glass MAGNUM



ALU-S-90-G-G-B



Product code	Finish
ALU-S-90-G-G-B	black
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 180° glass-wall MAGNUM




ALU-S-180-G-W-B



Product code	Finish
ALU-S-180-G-W-B	black
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 180° glass-glass MAGNUM



ALU-S-180-G-G-B



Product code	Finish
ALU-S-180-G-G-B	black
Properties	
Material	aluminium
Length	2300 mm

Rigid fin seal 180°



NLO-KP-2900



Product code	Finish
NLO-KP-2900-8-2,5-B	black
Properties	
Length	2500 mm
Glass thickness	8 mm

Seal - 90° fin




NLO-KP-2902



Product code	Finish
NLO-KP-2902-8-2,5-B	black
Properties	
Length	2500 mm
Glass thickness	8 mm

Seal - 90° fin



NLO-KP-2902S



Product code	Finish
NLO-KP-2902S-8-2,5-B	black
Properties	
Length	2500 mm
Glass thickness	8 mm

Seal - 180° fin



NLO-KP-2905



Product code	Finish
NLO-KP-2905-8-2,5-B	black
Properties	
Length	2500 mm
Glass thickness	8 mm

Seal - 180° fin



NLO-KP-2905S



Product code	Finish
NLO-KP-2905S-8-2,5-B	black
Properties	
Length	2500 mm
Glass thickness	8 mm

Bottom seal - twin wipe + deflector




NLO-KP-2906



Product code	Finish
NLO-KP-2906-8-2,5-B	black
Properties	
Length	2500 mm
Glass thickness	8 mm

Magnetsi seal 90°/180°




NLO-KP-2909



Product code	Finish
NLO-KP-2909-8-2,5-B	black
Properties	
Glass thickness	8 mm
Length	2500 mm

Bubble seal



NLO-KP-2910



Product code	Finish
NLO-KP-2910-8-2,5-B	black
Properties	
Glass thickness	8 mm
Length	2500 mm

Bottom seal - long deflector


NLO-KP-2913



Product code	Finish
NLO-KP-2913-8-2,5-B	black
Properties	
Glass thickness	8 mm
Length	2500 mm

Connector 90° doorstep-doorstep


NTFA90-B



Product code	Finish
NTFA90-B	black
Properties	
Material	ABS

Doorstep


NTFALL11-B



Product code	Finish
NTFALL11-B	black
Properties	
Material	aluminium
Length	2000 mm

Connector 90° doorstep-glass left

NTFA90L-B



Product code	Finish
NTFA90L-B	black
Properties	
Glass thickness	8 mm
Material	ABS

Connector 90° doorstep-glass right


NTFA90R-B



Product code	Finish
NTFA90R-B	black
Properties	
Glass thickness	8 mm
Material	ABS

Connector 180° doorstep-glass left


NTFA180L-B



Product code	Finish
NTFA180L-B	black
Properties	
Glass thickness	8 mm
Material	ABS

Connector 180° doorstep-glass right


NTFA180R-B



Product code	Finish
NTFA180R-B	black
Properties	
Glass thickness	8 mm
Material	ABS

„U” Profile


NLO-KP-2961-B



Product code	L	Finish
NLO-KP-2961-2,0-B	2000 mm	black
NLO-KP-2961-2,5-B	2500 mm	black
NLO-KP-2961-3,0-B	3000 mm	black
NLO-KP-2961-5,0-B	5000 mm	black
NLO-KP-2961-6,0-B	6000 mm	black
Properties		
Material	aluminium	
Glass thickness	8 mm	

Endcap for „U” profile


NLO-KP-2961-Z-B



Product code	Finish
NLO-KP-2961-Z-B	black
Properties	
Material	stainless steel

„U” Profile


NLO-KP-2961-10-B



Product code	L	Finish
NLO-KP-2961-10-2,5-B	2500 mm	black
NLO-KP-2961-10-3,0-B	3000 mm	black
Properties		
Material	aluminium	
Glass thickness	10 mm	

Endcap for „U” profile


NLO-KP-2961-10-Z-B



Product code	Finish
NLO-KP-2961-10-Z-B	black
Properties	
Material	stainless steel

Endcap for „U” profile



NLO-KP-3500-Z-B



Product code	Finish
NLO-KP-3500-Z-B	black
Properties	
Material	stainless steel

High „U” Profile


NLO-KP-3500-B



Product code	L	Finish
NLO-KP-3500-2,5-B	2500 mm	black
NLO-KP-3500-5,0-B	5000 mm	black
Properties		
Material	aluminium	
Glass thickness	8-12 mm	

Endcap for „U” profile



NLO-KP-3000-Z-B



Product code	Finish
NLO-KP-3000-Z-B	black
Properties	
Material	stainless steel

„U” Profile


NLO-KP-3000-B



Product code	L	Finish
NLO-KP-3000-2,0-B	2000 mm	black
NLO-KP-3000-2,5-B	2500 mm	black
NLO-KP-3000-3,0-B	3000 mm	black
NLO-KP-3000-5,0-B	5000 mm	black
NLO-KP-3000-6,0-B	6000 mm	black
Properties		
Material	aluminium	
Glass thickness	8-12 mm	

NLO-KP-3000-B profile cover



NLO-KP-3000-M-B



Product code	Finish
NLO-KP-3000-M-B	black
Properties	
Material	aluminium
Length	2500 mm

Seal for „U” profile


NLO-KP-3000-8




Product code	Finish
NLO-KP-3000-8	colorless
NLO-KP-3000-8-B	black
Properties	
Material	PVC






Glass 8 mm



Glass 10 mm






Glass 12 mm




Seal for „U” profile



NLO-KP-3500-6



Glass 6 mm



Product code	Finish
NLO-KP-3500-6	colorless
NLO-KP-3500-6-B	black
Properties	
Material	PVC



Grid profile



Tape for grid profiles

„U” Profile

CS-1902

CS-ACX

NLO-KP-2961-B



Product code	Size	Finish
CS-1902-3000-B	19x2 mm	black anodised
Properties		
Length	3000 mm	

Product code	Size	Length
CS-ACX-0,7-9-33	0,7x9 mm	33 m

Product code	L	Finish
NLO-KP-2961-2,0-B	2000 mm	black
NLO-KP-2961-2,5-B	2500 mm	black
NLO-KP-2961-3,0-B	3000 mm	black
NLO-KP-2961-5,0-B	5000 mm	black
NLO-KP-2961-6,0-B	6000 mm	black
Properties		
Material	aluminium	
Glass thickness	8 mm	



Accessory set

NLO-DP02-S002-B




Product code	Finish
NLO-DP02-S002-B	black
Properties	
Maximum door weight	65 kg
Glass thickness	8-10 mm
Material	brass
Maximum length	2000 mm

One set consists of:	
Sliding roller	2 pc.
Connector profile-wall	2 pc.
End-stopper	2 pc.
Handle	1 pc.
Guides	1 pc.
Key for sliding roller	1 pc.

Sliding profile


NLO-DP02-S002-2-B



Product code	Finish
NLO-DP02-S002-2-B	black
Properties	
Material	aluminium
Profile length	2000 mm

Angular guideway connector 90°


NLO-DP02-S002-3-B




Product code	Finish
NLO-DP02-S002-3-B	black
Properties	
Material	ABS

Mounting schema

S002 system




Scale 2:1




Usage example no. 1

**Corner shower -
single sliding door**




Usage example no. 2

**Inline shower -
single sliding door**



Usage example no. 3

**Corner shower -
double sliding door**



**To properly design the cabin,
please contact our sales specialists.
Be careful! Different glass preparation!**

Sliding system

S003-B



„Black Series” hardware

Accessory set NLO-DP03-S003-B



One set consists of:

Roller	2 pc.
Connector bar-wall	2 pc.
Connector glass-bar	2 pc.
Door stopper	2 pc.
Floor door stopper	2 pc.
Door handle	1 pc.
Floor guide	1 pc.


Attention: For mounting purposes, header bar needs 2 holes:

2x Ø10mm through the bar

Product code	Finish
NLO-DP03-S003-B	black
Properties	
Max. door weight	65 kg
Glass thickness	8-12 mm
Material	stainless steel
Max. length	2000 mm

Header bar


NLO-DP03-S003-8-2-B



Product code	L	Finish
NLO-DP03-S003-8-2-B	2000 mm	black
Properties		
Material	stainless steel	

Connector bar-bar 90°


NLO-DP03-S003-3-B



Product code	Finish
NLO-DP03-S003-3-B	black
Properties	
Material	stainless steel

Point holder for fixed panel

NPC1213-B




Product code	Finish
NPC1213-B	black
Properties	
Material	stainless steel


Mounting schema

S003 system


Scale 2:1



fixed panel



glass door



Usage example no. 1




Inline shower -
single sliding door

Usage example no. 2


Corner shower -
single sliding door

Usage example no. 3

Corner shower -
double sliding door



To properly design the cabin,
please contact our sales specialists.
Be careful! Different glass preparation!






03

CGLASS OFFICE
BLACK SERIES




Bottom hinge

GHD-110D-B







Top hinge

GHD-120D-B




Overpanel patch

GHD-130P-B






Product code	Finish
GHD-130P-B	black
Properties	
Glass thickness	8-12 mm




Overpanel patch

GHD-140-B







Product code	Finish
GHD-140-B	black
Properties	
Glass thickness	8-12 mm



Over and side panel patch






GHD-160A-B



Product code	Finish
GHD-160A-B	black
Properties	
Glass thickness	8-12 mm

Corner lock



GHD-150RD-B



Product code	Finish
GHD-150RD-B	black
Properties	
Glass thickness	8-12 mm

Lock with knob




PCS446A-B



Product code	Finish
PCS446A-B	black
Properties	
Glass thickness	8-12 mm
No drilling required	

Top pivot



NLO-ZD-1301-B



Product code	Finish
NLO-ZD-1301-B	black
Properties	
Material	stainless steel

Hydraulic bottom hinge

N0302109-B






Product code	Finish
N0302109-B	black
Properties	
Glass thickness	8-12 mm
Maximum door width	1000 mm
Maximum door weight	100 kg
Maximum opening angle	150°
Door opening stop	90°
Two sections of speed adjustments	
Adjustment range of closing speed	150°-10°
Adjustment range of closing speed	10°-0°
Adjustment range	
Side adjustment	±3 mm
Front and back adjustment	±3 mm
Angle adjustment of the door	±4°
Tested for 200 000 opening cycles	



„Black Series” OFFICE

**360° central pivot hydraulic patch for glass door
+ top fitting with axis**

N360200-SET



No.2 Latching speed
No.1 Closing speed

Product code	Finish
N360200-SET-SS	satın
N360200-SET-B	black matte
Properties	
Glass thickness	10-12 mm
Max. door width	2500 mm
Max. door weight	200 kg
Range	360°
Hold open	90°, 270°
Two adjustment sections	
Closing speed adjustment range	90° - 10°
Latching speed adjustment range	10° - 0°
Mounting foot adjustment range	
Side adjustment	±3 mm
Front-back adjustment	±3 mm
Tested for 200,000 operating cycles	




Adjustable door frame

OFC-1-B



100 - 130 mm




130 - 160 mm



160 - 195 mm

Product code	G	Finish
OFC-1-100-130-B	100-130 mm	black
OFC-1-130-160-B	130-160 mm	black
OFC-1-160-195-B	160-195 mm	black
Properties		
Length	6000 mm	
Material	aluminium	






Acoustic insulation $R_w = 21 - 32$ dB

Mounting schema


OFC-1-B

A - door width
B - door height
W - base opening width
W1 - frame width
H - base opening height
H1 - door frame height



Set of mounting corners

OFC-1-K



Product code

OFC-1-K

Properties

Material stainless steel

Set for one door frame includes all items in the picture

Set of mounting corners

OFC-1-KIT



Product code

OFC-1-KIT

Properties

Material stainless steel

Set for one door frame includes all items in the picture

Wall seal frame

OFC-O



Product code	Color
OFC-O-GR	gray
OFC-O-B	black
Properties	
Material	PVC

Main seal for door frame


OFC-V



Product code	Glass thickness	Finish
OFC-V-8-GR	8 mm	gray
OFC-V-8-B	8 mm	black
OFC-V-10-GR	10 mm	gray
OFC-V-10-B	10 mm	black
OFC-V-12-GR	12 mm	gray
OFC-V-12-B	12 mm	gray
Properties		
Material		PVC

Frame cover

OFC-M-B




Product code	Finish
OFC-M-B	black anodised
Properties	
Length	6000 mm
Material	aluminium



Door frame type „L”

OFC-2-B



Product code	Finish
OFC-2-B	black anodised
Properties	
Glass door thickness	8-10 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	


Acoustic insulation $R_w = 21 - 32$ dB



Mounting schema


OFC-2-B

A - door width
B - door height
W - base opening width
W1 - frame width
H - base opening height
H1 - door frame height



Door frame type „L”

OFC-2N-B



Product code	Finish
OFC-2N-B	black anodised
Properties	
Glass door thickness	8-10 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	




Acoustic insulation $R_w = 21 - 32$ dB



Schemat wymiarowania



OFC-2N-B

A - door width
B - door height
W - base opening width
W1=W - frame width
H - base opening height
H1=H - door frame height



Door frame type „Z”

OFC-3-B




Product code	Finish
OFC-3-B	black anodised
Properties	
Glass door thickness	8-10 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	



Acoustic insulation $R_w = 21 - 32$ dB

Measuring schema

OFC-3-B





A - door width
B - door height
W - base opening width
W1 - frame width
H - base opening height
H1 - door frame height



Door frame type „Z”

OFC-3N-B




Product code	Finish
OFC-3N-B	black anodised
Properties	
Glass door thickness	8-10 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	

Acoustic insulation $R_w = 21 - 32$ dB

Measuring schema

OFC-3N-B









Door frame type „H”

OFC-4S-B



Product code	Finish
OFC-4S-B	black anodised
Properties	
Glass door thickness	8-10 mm
Thickness of glass panel	8-12,76 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	



Acoustic insulation $R_w = 21 - 32$ dB



Measuring schema


OFC-4S-B

A - door width
B - door height
W - base opening width
W1 - frame width
H - base opening height
H1 - door frame height



Frame cover

OFC-M-B



Product code	Finish
OFC-M-B	black anodised
Properties	
Length	6000 mm
Material	aluminium

Set of mounting corners

OFC-2/3-KIT



Product code	Door frames
OFC-2/3-KIT	OFC-2 / OFC-3
OFC-2/3N-KIT	OFC-2N / OFC-3N
Properties	
Material	stainless steel

Frame to mounting profile connector

OFC-4-K



Product code
OFC-4-K
Properties
Material

stainless steel

Set for one door frame includes all items in the picture

Set of mounting corners

OFC-4S-KIT




Product code
OFC-4S-KIT
Properties
Material

stainless steel

Set for one door frame includes all items in the picture

Strike plate for lock


OFC-02-B



Product code	Finish
OFC-02-B	black anodised
Properties	
Material	stainless steel

Strike plate for magnetic lock

OFC-00-M-B



Product code	Finish
OFC-00-M-B	black anodised
Properties	
Material	stainless steel

Glass fix seal

CLM-8/10/12



glass 8 mm

glass 10-10,76 mm

glass 12-12,76 mm

Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10-10,76 mm	gray
CLM-10-B	10-10,76 mm	black
CLM-12-GR	12-12,76 mm	gray
CLM-12-B	12-12,76 mm	black
Properties		
Material		PVC

Main seal for door frame


OFC-V



Product code	Glass thickness	Finish
OFC-V-8-GR	8 mm	gray
OFC-V-8-B	8 mm	black
OFC-V-10-GR	10 mm	gray
OFC-V-10-B	10 mm	black
OFC-V-12-GR	12 mm	gray
OFC-V-12-B	12 mm	gray
Properties		
Material		PVC

Strike plate for electric strike lock



OFC-ES-P-SS



Product code	Finish
OFC-ES-P-SS	satin
Properties	
Material	stainless steel

Electric strike lock, standard 12V DC

OFC-ES-ST





CAREFUL!
Might require cutout in glass. Please ask your sales specialist for more information.

Product code	Finish
OFC-ES-ST	
Properties	
Voltage	12V DC

Electric strike lock, reverse, 12V DC

OFC-ES-REV








CAREFUL!
Might require cutout in glass. Please ask your sales specialist for more information.

Product code	Finish
OFC-ES-REV	
Properties	
Voltage	12V DC



Door frame hinge






NTZ-600-B



Product code	Finish
NTZ-600-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg
Above 2200 mm height, it is recommended to use 3 hinges	

Door frame hinge SLIM

NTZ-700-B








Product code	Finish
NTZ-700-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg
Above 2200 mm height, it is recommended to use 3 hinges	



Door frame hinge






NTZ-500-B



Product code	Finish
NTZ-500-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg
Above 2200 mm height, it is recommended to use 3 hinges	

Door frame hinge



NTZ-470-B



Product code	Finish
NTZ-470-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg
Above 2200 mm height, it is recommended to use 3 hinges	

Wooden door frame hinge

NTZ-380-B



Product code	Finish
NTZ-380-B	black anodised
Properties	
Glass thickness	8-10 mm
Material	aluminium
Maximum door weight	60 kg

Mounting pin with a plate for hinge


NTZ-380-TP



Product code	
NTZ-380-TP	
Properties	
Material	stainless steel

Mounting pin for hinge


NTZ-380-T




Product code	
NTZ-380-T	
Properties	
Material	stainless steel

Drop seal - left/right

OFC-DS





Product code	L	Finish
OFC-DS-930-NA	930 mm	silver anodised
OFC-DS-1030-NA	1030 mm	silver anodised
OFC-DS-930-SS	930 mm	INOX anodised
OFC-DS-1030-SS	1030 mm	INOX anodised
OFC-DS-930-B	930 mm	black anodised
OFC-DS-1030-B	1030 mm	black anodised
Properties		
Material	aluminium	
Glass thickness	8-12 mm	



Mounting profile - divided

CLM-2628-B





Acoustic insulation $R_w = 32 - 38$ dB

Product code	L	Finish
CLM-2628-3000-B	3000 mm	black anodised
CLM-2628-6000-B	6000 mm	black anodised
Properties		
Glass thickness	8-12,76 mm	
Material	aluminium	

Mounting profile - type „U”

CLM-2628-G-B



Acoustic insulation $R_w = 32 - 38$ dB

Product code	L	Finish
CLM-2628-G-3000-B	3000 mm	black anodised
CLM-2628-G-6000-B	6000 mm	black anodised
Properties		
Glass thickness	8-12,76 mm	
Material	aluminium	

Glass fix seals for CLM-2628/-G

U-8/10/12


		glass 8mm
		glass 10mm
		glass 10,76mm
		glass 12mm
		glass 12,76mm



Product code	Glass thickness	Color
U-8-GR	8 mm	gray
U-8-B	8 mm	black
U-10-GR	10 mm	gray
U-10-B	10 mm	black
U-10,76-GR	10,76 mm	gray
U-10,76-B	10,76 mm	black
U-12-GR	12 mm	gray
U-12-B	12 mm	black
U-12,76-GR	12,76 mm	gray
U-12,76-B	12,76 mm	black
Properties		
Material		PVC

End cap for mounting profile


CLM-2628-Z-B



Product code	Finish
CLM-2628-Z-B	black
Properties	
Material	stainless steel

Glass pad


CLM-P




Product code	Height
CLM-P3	3 mm
CLM-P4	4 mm
CLM-P5	5 mm
CLM-P6	6 mm
Properties	
Material	ABS
Set includes 10 pads	

Mounting profile - divided

CLM-3638-B




Product code	L	Finish
CLM-3638-3000-B	3000 mm	black anodised
CLM-3638-6000-B	6000 mm	black anodised
Properties		
Glass thickness	8-12,76 mm	
Material	aluminium	




Acoustic insulation $R_w = 32 - 38$ dB

Mounting profile - type „U”

CLM-3638-G-B



Product code	L	Finish
CLM-3638-G-3000-B	3000 mm	black anodised
CLM-3638-G-6000-B	6000 mm	black anodised
Properties		
Glass thickness	8-12,76 mm	
Material	aluminium	



Acoustic insulation $R_w = 32 - 38$ dB

Glass fix seal for CLM-3638/-G

CLM-8/10/12



glass 8 mm



glass 10-10,76 mm





glass 12-12,76 mm



Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10-10,76 mm	gray
CLM-10-B	10-10,76 mm	black
CLM-12-GR	12-12,76 mm	gray
CLM-12-B	12-12,76 mm	black
Properties		
Material	PVC	

End cap for mounting profile


CLM-3638-Z-B



Product code	Finish
CLM-3638-Z-B	black
Properties	
Material	stainless steel

Glass pad

CLM-P





Product code	Height
CLM-P3	3 mm
CLM-P4	4 mm
CLM-P5	5 mm
CLM-P6	6 mm
Properties	
Material	ABS


Set includes 10 pads

Mounting profile

CLM-41




Product code	Glass thickness	L	Finish
CLM-41-10/12-2500-B	10-12 mm	2500 mm	black anodised
CLM-41-10/12-5000-B	10-12 mm	5000 mm	black anodised
Material			
Properties			aluminium
Recommended 3 clamps per meter			



Base profile


CLM-B



Product code	L
CLM-B-2500	2500 mm
CLM-B-5000	5000 mm
Properties	
Material	aluminium
Mounting holes every 300 mm	

Glass clamps


CLM-L



Product code	Glass thickness
CLM-L-10	10 mm
CLM-L-12	12 mm
Properties	
Material	aluminium
One set contains 8pc. of clamps and 8 pc. of pads	

Cover profile


CLM-41-M-B



Product code	L
CLM-41-M-2500-B	2500 mm
CLM-41-M-5000-B	5000 mm
Properties	
Material	aluminium

Endcap

CLM-41-Z-B



Product code	G	Finish
CLM-41-10-Z-B	10 mm	black anodised
CLM-41-12-Z-B	12 mm	black anodised
Properties		
Material	aluminium	

„Black Series” OFFICE

Overhead arm door closer for glass doors
- with glass clamp

ND-980-B



Product code	Finish
--------------	--------

ND-980-SS	black anodised
-----------	----------------


Properties

Max. door width	900 mm
-----------------	--------

Max. door weight	65 kg
------------------	-------

Tested for 500 000 operating cycles


Note - Mounting to door does not require holes in glass





Installation pole SINGLE

CLM-143




Installation pole SINGLE set for 3,0 m includes:

CLM-143-M-3000 AL/NA/SS/B	2 pc.
CLM-143-B-150-AL	4 pc.
CLM-143-K	4 pc.
CLM-8/10/12	3 m


Measuring schema

CLM-143



Installation pole SINGLE - cover


CLM-143-M



Product code	L	Finish
CLM-143-M-3000-AL	3000 mm	raw aluminium
CLM-143-M-6000-AL	6000 mm	raw aluminium
CLM-143-M-3000-NA	3000 mm	silver anodised
CLM-143-M-6000-NA	6000 mm	silver anodised
CLM-143-M-3000-SS	3000 mm	INOX anodised
CLM-143-M-6000-SS	6000 mm	INOX anodised
CLM-143-M-3000-B	3000 mm	black anodised
CLM-143-M-6000-B	6000 mm	black anodised
Properties		
Material	aluminium	

Installation pole SINGLE - base profile

CLM-143-B



Product code	L	Finish
CLM-143-B-150-AL	150 mm	raw aluminium
CLM-143-B-6000-AL	6000 mm	raw aluminium
Properties		
Material	aluminium	

Glass fix seal for CLM-143

CLM-8/10/12



Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10-10,76 mm	gray
CLM-10-B	10-10,76 mm	black
CLM-12-GR	12-12,76 mm	gray
CLM-12-B	12-12,76 mm	black
Properties		
Material	PVC	

Installation pole SINGLE - mounting corner


CLM-143-K



Product code	
CLM-143-K	
Properties	
Material	stainless steel


Grid profile sets - horizontal and vertical

CLM-3612




Vertical set for 3m consists of:

CLM-3612-B1-3000-B	1 pc.
CLM-3612-B2-3000-B	1 pc.
CLM-3612-M-3000-B	2 pc.
CS-3612-M6-SET	1 set
CLM-S	12 m




Horizontal set for 3m consists of:

CLM-3612-B1-3000-B	2 pc.
CLM-3612-M-3000-B	2 pc.
CS-ACX-1,5-8-20	1 pc.



Grid profile - base profile 1


CLM-3612-B1



Product code	L
CLM-3612-B1-3000-B	3000 mm
CLM-3612-B1-6000-B	6000 mm
Properties	
Material	aluminium
Finish	black anodised

Grid profile - base profile 2


CLM-3612-B2



Product code	L
CLM-3612-B2-3000-B	3000 mm
CLM-3612-B2-6000-B	6000 mm
Properties	
Material	aluminium
Finish	black anodised

Grid profile cover

CLM-3612-M-B



Product code	L
CLM-3612-M-3000-B	3000 mm
CLM-3612-M-6000-B	6000 mm
Properties	
Material	aluminium
Finish	black anodised

Grid profile base seal

CLM-S-B



Product code	Finish
CLM-S-B	black
Properties	
Material	EPDM

Adhesive tape for CLM-3612 grid profile

C-ACX-1,5-8



Product code	Length
C-ACX-1,5-8	20 m
Properties	
Color	black
Dimensions	1,5x8 mm

Set of screws to connect base grid profiles


CS-3612-M6-SET



Product code	Glass thickness
CS-3612-M6-SET-8	8 mm
CS-3612-M6-SET-10	10 mm
CS-3612-M6-SET-12	12 mm
Properties	
Set consists of 6 screws	

Office door with grid profiles and corner profile

CLM-3612 and CLM-5050



**Set of mounting corners
to connect with CLM-3638**


CLM-5050-K



Product code	
CLM-5050-K	
Properties	
Material	stainless steel

**90° corner profile -
50x50 mm**


CLM-5050-90



Product code	L	Finish
CLM-5050-90-3000-B	3000 mm	black anodised
CLM-5050-90-6000-B	6000 mm	black anodised
Properties		
Material	aluminium	

Seal for CLM-5050

CLM-8/10/12




Product code	Glass	Color
CLM-8-GR	8 mm	grey
CLM-8-B	8 mm	black
CLM-10-GR	10-10,76 mm	grey
CLM-10-B	10-10,76 mm	black
CLM-12-GR	12-12,76 mm	grey
CLM-12-B	12-12,76 mm	black
Properties		
Material	PVC	



Grid profile and tape for grid profiles

CS-1902




Product code	Size	Finish
CS-1902-3000-B	19x2 mm	black anodised
CS-ACX-0,7-9-33	0,7x9 mm	-
Properties	Tape	Grid profile
Length	33 m	3000 mm

Frame profile with optional milling for door lock

CS-1512-2500-B



BE CAREFUL! To use profile without milling, it is advised to use the same glass preparation as for NTZ-650-B hinge.




BE CAREFUL! To use profile with milling, it is advised to change holes in glass for door lock - move 3 mm towards glass edge.

Product code	Milling	L	Finish
CS-1512-2500-B	-	2500 mm	black anodised
CS-1512-2500-F-L-B	left doors	2500 mm	black anodised
CS-1512-2500-F-R-B	right doors	2500 mm	black anodised
Properties			
Material			aluminium

Set of magnets for automatic closing

CS-MAGNET-SET




Product code

CS-MAGNET-SET





Loft door hinge

NTZ-650



BE CAREFUL! Different glass preparation





Product code	Finish
NTZ-650-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg
Above 2200 mm height, it is recommended to use 3 hinges	



H Profile - 90° - 30x30 mm for glass 8 mm


CS-30-90-8-3,0-B



Product code	L	Finish
CS-30-90-8-3,0-B	3000 mm	black anodised
Properties		
Glass thickness	8 mm	
Material	aluminium	

H Profile - 180° - for glass 8 mm



CS-30-180-8-3,0-B



Product code	L	Finish
CS-30-180-8-3,0-B	3000 mm	black anodised
Properties		
Glass thickness	8 mm	
Material	aluminium	

H Profile - 90° - 30x30 mm for glass 10 mm


CS-30-90-10-3,0-B



Product code	L	Finish
CS-30-90-10-3,0-B	3000 mm	black anodised
Properties		
Glass thickness	10 mm	
Material	aluminium	

H Profile - 180° - for glass 10 mm


CS-30-180-10-3,0-B



Product code	L	Finish
CS-30-180-10-3,0-B	3000 mm	black anodised
Properties		
Glass thickness	10 mm	
Material	aluminium	

Door frame

OFC-4S-DOUBLE-B




Product code	Finish
OFC-4S-DOUBLE-B	black anodised
Properties	
Glass door thickness	8-10 mm
Thickness of glass panel	8-12,76 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	



Acoustic insulation $R_w = 21 - 32$ dB

Measuring schema

OFC-4S-DOUBLE-B




A - door width
 B - door height
 W - base opening width
 W1 - frame width
 H - base opening height
 H1 - door frame height



Set of mounting corners

OFC-4S-DOUBLE-KIT



Product code

OFC-4S-DOUBLE-KIT

Properties

Material	stainless steel
----------	-----------------

Main seal for door frame



OFC-V



Product code	Glass thickness	Finish
OFC-V-8-GR	8 mm	gray
OFC-V-8-B	8 mm	black
OFC-V-10-GR	10 mm	gray
OFC-V-10-B	10 mm	black
OFC-V-12-GR	12 mm	gray
OFC-V-12-B	12 mm	gray
Properties		
Material	PVC	

Mounting profile - divided

CLM-3410-DOUBLE-B





Acoustic insulation $R_w = 40 - 47$ dB

Product code	L	Finish
CLM-3410-DOUBLE-6000-B	6000 mm	black anodised
Properties		
Glass thickness	8-12,76 mm	
Material	aluminium	
Max. height	3200 mm	

Above 2800 mm height, it is recommended to use glass 12 mm or 66.2

Mounting profile - type „U”

CLM-3410-G-DOUBLE-B




Acoustic insulation $R_w = 40 - 47$ dB

Product code	L	Finish
CLM-3410-G-DOUBLE-6000-B	6000 mm	black anodised
Properties		
Glass thickness	8-12,76 mm	
Material	aluminium	
Max. height	3200 mm	

Above 2800 mm height, it is recommended to use glass 12 mm or 66.2

Glazing cover

CLM-3410-M-B



Product code	L
CLM-3410-M-6000-B	6000 mm
Properties	
Material	aluminium

90° fastening - door frame - mounting strip

CLM-3410-K



Product code	
CLM-3410-K	
Properties	
Material	stainless steel

Fixed glazing gasket


CLM-8/10/12



Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10 mm	gray
CLM-10-B	10 mm	black
CLM-10-GR	10,76 mm	gray
CLM-10-B	10,76 mm	black
CLM-12-GR	12 mm	gray
CLM-12-B	12 mm	black
CLM-1276-GR	12,76 mm	gray
CLM-1276-B	12,76 mm	black
Properties		
Material		PVC

Glass pad

CLM-P




Product code	Height
CLM-P3	3 mm
CLM-P4	4 mm
CLM-P5	5 mm
CLM-P6	6 mm

Properties	
Material	ABS

Set includes 10 pads

Installation pole DOUBLE - base profile


CLM-134-B



Product code	L	Finish
CLM-134-B	3000 mm	raw aluminium
Properties		
Material	stainless steel	

Installation pole DOUBLE - cover


CLM-134-M




Product code	L	Finish
CLM-134-M-6000-B	6000 mm	black anodised
Properties		
Material	aluminium	

Installation pole DOUBLE - expansion fastening

CLM-134





Product code	
CLM-134	
Properties	
Material	aluminium





LED door frame


OFC-4S-LED-B



Product code	Finish
OFC-4S-LED-B	black anodised
Properties	
Glass door thickness	8-10 mm
Thickness of glass panel	8-12,76 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	
Door frame set does not include LED strips and LED covers.	

Mounting profile

CLM-55-B




Product code	L	Finish
CLM-55-B	6000 mm	black anodised
Properties		
Thickness of glass panel	8-12,76 mm	
Material	aluminium	
Max. height	2400 mm	

Above 2800 mm height, it is recommended to use glass 12 mm or 66.2

LED mounting profile

CLM-55-LED-B



Product code	L	Finish
CLM-55-LED-B	6000 mm	black anodised
Properties		
Thickness of glass panel	8-12,76 mm	
Material	aluminium	
Max. height	2400 mm	


Above 3000 mm height, it is recommended to use glass 12 mm or 66.2

Mounting profile set does not include LED strips and LED covers.

Measuring schema

OFC-4S-LED-B

A - door width
B - door height
W - base opening width
W1 - frame width
H - base opening height
H1 - door frame height



90° fastening - door frame - mounting strip

OFC-4S-LED-K



Product code

OFC-4S-LED-K

Properties

Material stainless steel

Set of mounting corners

OFC-4S-LED-KIT



Product code

OFC-4S-LED-KIT

Properties

Material stainless steel

LED Cover


OFC-M-LED



Product code	L	Finish
OFC-M-LED	3000 mm	milky
Properties		
Material	PVC	

Profile cover

OFC-M-B



Product code	L	Finish
OFC-M-B	6000 mm	black anodised
Properties		
Material	aluminium	

Fixed glazing seal

CLM-8/10/12



Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10-10,76 mm	gray
CLM-10-B	10-10,76 mm	black
CLM-12-GR	12-12,76 mm	gray
CLM-12-B	12-12,76 mm	black
Properties		
Material	PVC	

Main seal for door frame

OFC-V





Product code	Glass thickness	Finish
OFC-V-8-GR	8 mm	gray
OFC-V-8-B	8 mm	black
OFC-V-10-GR	10 mm	gray
OFC-V-10-B	10 mm	black
OFC-V-12-GR	12 mm	gray
OFC-V-12-B	12 mm	black
Properties		
Material	PVC	



Lock with a hole for door handle and insert



NT501-B



Product code	Finish
NT501-B	black anodised
Properties	
Material	stainless steel/ aluminium
Glass thickness	8-12 mm

Economy lock




NT501-WL-B



Product code	Finish
NT501-WL-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Bathroom lock




NT501-WC-B



Product code	Finish
NT501-WC-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Small economy lock



NT801-B



Product code	Finish
NT801-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Small bathroom lock



NT801-WC-B



Product code	Finish
NT801-WC-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Standard lock strike patch





NTP01-B



Product code	Finish
NTP01-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Magnetic lock with a hole for door handle and insert





NT501M-B



Product code	Finish
NT501M-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Magnetic economy lock



NT501M-WL-B



Product code	Finish
NT501M-WL-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Magnetic bathroom lock



NT501M-WC-B



Product code	Finish
NT501M-WC-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Small magnetic economy lock



NT801M-B



Product code	Finish
NT801M-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Small magnetic bathroom lock



NT801M-WC-B



Product code	Finish
NT801M-WC-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Magnetic lock strike patch


NTP01M-B



Product code	Finish
NTP01M-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Handle for glass doors


NTH01-B



Product code	Finish
NTH01-B	black
Properties	
Material	stainless steel/aluminium

Roller lock


NT134-B



Product code	Finish
NT134-B	black anodised
Properties	
Material	stainless steel

Handle for glass doors

NTH02-B



Product code	Finish
NTH02-B	black
Properties	
Material	aluminium

Door insert, key-key


NTW03KK-B



Product code	Finish
NTW03KK-B	black chrome
Properties	
Typ	12x28

Handle for glass doors


NTH06-B



Product code	Finish
NTH06-B	black
Properties	
Material	stainless steel/aluminium

Handle for glass doors

NTH08-B



Product code	Finish
NTH08-B	black
Properties	
Material	aluminium





SINGLE set for MONACO sliding system

NTMON00W1



Product code	Finish
NTMON00W1-B	black
One set consists of:	Quantity
Sliding trolley	2 pc.
Pneumatic self-closing mechanism	2 pc.
Trolley end-stopper	2 pc.
Floor guides	1 pc
Properties	
Maximum door weight	80 kg
Minimum door width	700 mm
Glass thickness	8-10 mm
Holes in glass not needed	
Adjustment of the closing force depending on the weight of the door	40-80 kg
Pneumatic soft close	

DOUBLE set for MONACO sliding system


NTMON00W2



Product code	Finish
NTMON00W2-NA	silver anodised
NTMON00W2-SS	satın
One set consists of:	Quantity
Sliding trolley	4 pc.
Pneumatic self-closing mechanism	4 pc.
Trolley end-stopper	2 pc.
Floor guides	2 pc.
Properties	
Maximum door weight	80 kg
Minimum door width	700 mm
Glass thickness	8-10 mm
Holes in glass not needed	
Adjustment of the closing force depending on the weight of the door	40-80 kg
Pneumatic soft close on each side	


SINGLE set for MONACO sliding system - 150 kg door
NTMON00W1-150

Product code	Finish
NTMON00W1-150-SS	satın
Equipment for one set	Quantity
Sliding trolley	2 pc.
Pneumatic self-closing mechanism	2 pc.
Trolley end-stopper	2 pc.
Floor guides	1 pc.
Properties	
Maximum door weight	150 kg
Minimum door width	1100 mm
Glass thickness	8-10 mm
Holes in glass not needed	
Adjustment of the closing force depending on the weight of the door	120-150 kg
Pneumatic soft close of each side	
Adjustable glass thickness of floor guide	8-10 mm





SYNCHRONIC set for MONACO sliding system
NTMON-SYNCH-W2

Product code	Finish
NTMON-SYNCH-W2-NA	silver anodised
One set consists of:	Quantity
Sliding trolley	4 pc.
Steel line	8 m
Roller	2 pc.
Line bracket	2 pc.
Trolley end-stopper	4 pc.
Floor guides	2 pc.
Properties	
Maximum door weight	80 kg
Minimum door width	700 mm
Glass thickness	8-10 mm
Holes in glass not needed	
Adjustment of the closing force depending on the weight of the door	40-80 kg
Pneumatic soft close of each side	
Adjustable glass thickness of floor guide	8-10 mm



Profile for MONACO sliding system




NTMON-B



Product code	Length	Finish
NTMON2200-B	2200 mm	black anodised
NTMON3000-B	3000 mm	black anodised
NTMON4000-B	4000 mm	black anodised
NTMON6000-B	6000 mm	black anodised
Properties		
Material	aluminium	
Every set includes profile, cover and 2 end caps		

Profile for MONACO sliding system - fixed panel


NTMON1300-B





Product code	Length	Finish
NTMON1300-B	1300 mm	black anodised
Properties		
Material	aluminium	
Set includes seals for glass 8mm and 10mm		

Door guide for MONACO

NT-220-B




Product code	Finish
NT-220-B	black anodised
Properties	
Material	stainless steel



Grid profile

CS-1902



Product code	Size	Finish
CS-1902-3000-B	19x2 mm	black anodised
Properties		
Length	3000 mm	

Tape for grid profiles


CS-ACX



Product code	Size	Length
CS-ACX-0,7-9-33	0,7x9 mm	33 m

„U” Profile


NLO-KP-2961-B




Product code	L	Finish
NLO-KP-2961-2,0-B	2000 mm	black
NLO-KP-2961-2,5-B	2500 mm	black
NLO-KP-2961-3,0-B	3000 mm	black
NLO-KP-2961-5,0-B	5000 mm	black
NLO-KP-2961-6,0-B	6000 mm	black
Properties		
Material	aluminium	
Glass thickness	8 mm	

Mounting schema
MONACO sliding system


Wall Mounting



Ceiling Mounting




Ceiling Mounting




Mounting schema

MONACO SINGLE - wall




Mounting schema

MONACO SINGLE - to ceiling with fixed panel




Mounting schema

MONACO DOUBLE - wall



Mounting schema


MONACO DOUBLE - to ceiling with fixed panel





Base fixing profile for MONACO glass wall

NTMON-5820-B



Product code	L	Finish
NTMON5820-B-2200-B	2200 mm	black anodised
NTMON5820-B-3000-B	3000 mm	black anodised
NTMON5820-B-4000-B	4000 mm	black anodised
NTMON5820-B-6000-B	6000 mm	black anodised


Properties

Material aluminium



Fixing profile cover for MONACO glass wall


NTMON-5820-M



Product code	L	Finish
NTMON5820-M-2200-B	2200 mm	black anodised
NTMON5820-M-3000-B	3000 mm	black anodised
NTMON5820-M-4000-B	4000 mm	black anodised
NTMON5820-M-6000-B	6000 mm	black anodised


Properties

Material aluminium



End cap set for MONACO fixing profile cover

NTMON-Z-SET



Product code	Finish
NTMON-Z-SET-B	black anodised

Properties

Material aluminium

Set of screws - fixing profile to glass wall

NTMON-5820-M6



Product code




NTMON-5820-M6

Properties

One set includes 10 screws


Mounting schema

MONACO glass wall sliding system




Mounting schema

MONACO glass wall sliding system - single door



Mounting schema




MONACO glass wall sliding system - double doors



„Black Series” OFFICE

Hook lock for sliding doors with a hole for an insert



NT301



Product code	Finish
NT301-SS	satin
NT301-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Steel wall plate for hook lock



NTP301



Product code	Finish
NTP301-SS	satin
NTP301-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Strike patch for hook lock -
wall mounting


NTP302



Product code	Finish
NTP302-SS	satin
NTP302-B	black anodised
Properties	
Material	aluminium
Glass thickness	8-12 mm

Strike patch for hook lock -
mounting on glass in axis with door

NTP303





Product code	Finish
NTP303-SS	satin
NTP303-B	black anodised
Properties	
Material	aluminium
Glass thickness	8-12 mm

„Black Series” OFFICE

Strike patch for hook lock - offset glass mounting


NTP304



Product code	Finish
NTP304-SS	satın
NTP304-B	black anodised
Properties	
Material	aluminium
Glass thickness	8-12 mm
Note - application in case of installation of sliding profile to glass wall	

Strike patch pads NTP303 - offset glass mounting



NTP305



Product code	Finish
NTP305-SS	satın
NTP305-B	black anodised
Properties	
Material	aluminium
Glass thickness	8-12 mm
Note - application in case of mounting fixed glass panel in NTMON1300 profile	

Door insert - knob/key


NTW01KG-B



Product code	Finish
NTW01KG-B	black anodised
Properties	
Material	brass

Door insert - knob/key


NTW01WC-B



Product code	Finish
NTW01WC-B	black anodised
Properties	
Material	brass

Sliding door stopper - left/right


NT-230



Product code	Type	Finish
NT-230-L-SS	left	satin
NT-230-R-SS	right	satin
NT-230-L-B	left	black anodised
NT-230-R-B	right	black anodised
Properties		
Glass thickness		8-12 mm
Material		stainless steel

Glass door handle 150x38 mm


NTDL-80



Product code	Finish
NTDL-80-NA	silver anodised
NTDL-80-SS	satın
NTDL-80-B	black anodised
Properties	
Glass thickness	8-12 mm
Material	aluminium

**Glass door handle
150x40 mm, adhesive tape to glass**




NTDL-90



Product code	Finish
NTDL-90-NA	silver anodised
NTDL-90-SS	satın
NTDL-90-B	black anodised
Properties	
Material	aluminium

Sliding glass door handle



NTDL-65



Product code	Finish
NTDL-65-NA	silver anodised
NTDL-65-SS	satın
NTDL-65-B	black anodised
NTDL-65-PS	polish
NTDL-65-G	gold
Properties	
Glass thickness	8-12 mm
Material	aluminium

Sliding glass door handle adhesive tape to glass




NTDL-65-NH



Product code	Finish
NTDL-65-NH-NA	silver anodised
NTDL-65-NH-SS	satın
NTDL-65-NH-B	black anodised
Properties	
Material	aluminium

Sliding door handle




NTDL-70-B



Product code	Finish
NTDL-70-B	black
Properties	
Glass thickness	8 mm
Material	stainless steel

Glass door handle



NLO-ZD-2856-B



Product code	L	L₀	Finish
NLO-ZD-2856-B	220	203	black
Properties			
Material	stainless steel		

Glass door handle



NLO-ZD-2857-B



Product code	L	Lo	Finish
NLO-ZD-2857-B	220	203	black
NLO-ZD-2857-457-B	480	455	black
NLO-ZD-2857-610-B	635	610	black
Properties			
Material			stainless steel

Glass door handle

GMT-G800




Product code	D	d	L	Lo	Finish
GMT-G800-L450-B	25	12	450	300	black
GMT-G800-L600-B	25	12	600	450	black
Properties					
Glass thickness					8-12 mm
Material					stainless steel

Adjustable point fixing - COSMO


COSMO




COS-3430-304




COS-4830-304




COS-4840-304



COS-4850-304



Product code	Diameter	Distance	Finish
COS-3430-304-B	Ø 34	30 mm	black chrome
COS-4830-304-B	Ø 48	30 mm	black chrome
COS-4830-304-MB	Ø 48	30 mm	black matte
COS-4840-304-B	Ø 48	40 mm	black chrome
COS-4850-304-B	Ø 48	50 mm	black chrome
Properties			
Glass thickness		12-21,52 mm	
Adjustment distance range		5 mm	
Material		stainless steel	




04

HINGES FOR GLASS SHOWERS


Hinges for glass showers

Swing hinge glass-glass 90° VERONA PREMIUM SLIM







VER-S-BJ-90




Glass preparation without seal



Glass preparation with seal



Closing angle adjustment



Adjustment of the closing angle $\pm 10^\circ$
relative to the 0 position
(from the cover side - 4mm Allen key)

Product code	Finish
VER-S-BJ-90-PS	polish
VER-S-BJ-90-SS	satın
VER-S-BJ-90-B	black
VER-S-BJ-90-G	gold
Properties	
Glass thickness	8-10 mm
Max. load on 2 hinges	50 kg
Material	brass
Adjustment of the closing angle $\pm 10^\circ$ relative to the 0 position	


Hinges for glass showers

Swing hinge glass-glass 180°

VERONA PREMIUM SLIM


VER-S-BJ-180

Glass preparation without seal





Fixed panel

Door




Fixed panel

Door




Glass preparation with seal




Fixed panel

Door



Fixed panel

Door




Product code	Finish
VER-S-BJ-180-PS	polish
VER-S-BJ-180-SS	satın
VER-S-BJ-180-B	black
VER-S-BJ-180-G	gold
Properties	
Glass thickness	8-10 mm
Max. load on 2 hinges	50 kg
Material	brass
Adjustment of the closing angle $\pm 10^\circ$ relative to the 0 position	


Hinges for glass showers

Swing hinge wall-glass 90° VERONA PREMIUM







VER-BJ-90



Glass preparation without seal




Glass preparation with seal










Product code	Finish
VER-BJ-90-PS	polish
VER-BJ-90-SS	satin
VER-BJ-90-B	black
VER-BJ-90-G	gold
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Swing hinge wall-glass 90° VERONA PREMIUM VER-BJ-90T-B

Glass preparation without seal



Glass preparation with seal




Product code	Finish
VER-BJ-90T-PS	polish
VER-BJ-90T-SS	satın
VER-BJ-90T-B	black
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	


Hinges for glass showers

Swing hinge glass-glass 90° VERONA PREMIUM







VER-BJ-90GG-B



Glass preparation with seal



Glass preparation without seal





Product code	Finish
VER-BJ-90GG-PS	polish
VER-BJ-90GG-SS	satin
VER-BJ-90GG-B	black
VER-BJ-90GG-G	gold

Properties

Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass

Adjustable closing angle $\pm 10^\circ$ relative to starting position

Swing hinge glass-glass 135° VERONA PREMIUM VER-BJ-135




Product code	Finish
VER-BJ-135-PS	polish
VER-BJ-135-SS	satın
VER-BJ-135-B	black
VER-BJ-135-G	gold
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle $\pm 10^\circ$ relative to starting position	


Hinges for glass showers

Swing hinge glass-glass 180° VERONA PREMIUM


VER-BJ-180



Glass preparation without seal





Glass preparation with seal



Product code	Finish
VER-BJ-180-PS	polish
VER-BJ-180-SS	satin
VER-BJ-180-B	black
VER-BJ-180-G	gold
Properties	
Glass thickness	8-12 mm
Maximum load on 2 hinges	45 kg
Material	brass
Adjustable closing angle	

Hinge wall-glass 90°



GMT-BJ-601



Product code	Finish
BJ-601-PS	polish
BJ-601-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	

Hinge wall-glass 90°

GMT-BJ-201






Product code	Finish
BJ-201-PS	polish
BJ-201-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	


Hinges for glass showers

Hinge wall-glass 90°

GMT-BJ-611






Product code	Finish
BJ-611-PS	polish
BJ-611-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	




Hinge wall-glass 90°

GMT-BJ-211







Product code	Finish
BJ-211-PS	polish
BJ-211-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	



Hinge glass-glass 135°





GMT-BJ-602



Product code	Finish
BJ-602-PS	polish
BJ-602-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	

Hinge glass-glass 135°

GMT-BJ-202






Product code	Finish
BJ-202-PS	polish
BJ-202-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	


Hinges for glass showers

Hinge glass-glass 180°

GMT-BJ-603





Product code	Finish
BJ-603-PS	polish
BJ-603-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	




Hinge glass-glass 180°

GMT-BJ-203






Product code	Finish
BJ-203-PS	polish
BJ-203-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	



Hinge glass-glass 90°




GMT-BJ-604



Product code	Finish
BJ-604-PS	polish
BJ-604-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	

Hinge glass-glass 90°

GMT-BJ-204






Product code	Finish
BJ-204-PS	polish
BJ-204-SS	satın
Properties	
Glass thickness	8-12 mm
Maximum load for two hinges	45 kg
Material	brass
Automatic closing door angle	35°
Non asbestos seals	



Hinges for glass showers

Lift hinge wall-glass 90° left VERONA SLIM

VER-SLIM-90-L






Product code	Finish
VER-SLIM-90-L-PS	polish
VER-SLIM-90-L-SS	satin
VER-SLIM-90-L-B	black
VER-SLIM-90-L-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg





Lift hinge wall-glass 90° right VERONA SLIM

VER-SLIM-90-R





Product code	Finish
VER-SLIM-90-R-PS	polish
VER-SLIM-90-R-SS	satin
VER-SLIM-90-R-B	black
VER-SLIM-90-R-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg



Hinges for glass showers

Lift hinge wall-glass 90° left VERONA SLIM



VER-SLIM-B90-L



Product code	Finish
VER-SLIM-B90-L-PS	polish
VER-SLIM-B90-L-SS	satin
VER-SLIM-B90-L-B	black
VER-SLIM-B90-L-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg

Lift hinge wall-glass 90° right VERONA SLIM

VER-SLIM-B90-R




Product code	Finish
VER-SLIM-B90-R-PS	polish
VER-SLIM-B90-R-SS	satin
VER-SLIM-B90-R-B	black
VER-SLIM-B90-R-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg


Hinges for glass showers

Lift hinge glass-glass left 180° VERONA SLIM

VER-SLIM-180-L




Product code	Finish
VER-SLIM-180-L-PS	polish
VER-SLIM-180-L-SS	satin
VER-SLIM-180-L-B	black
VER-SLIM-180-L-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg




Lift hinge glass-glass right 180° VERONA SLIM


VER-SLIM-180-R



Product code	Finish
VER-SLIM-180-R-PS	polish
VER-SLIM-180-R-SS	satin
VER-SLIM-180-R-B	black
VER-SLIM-180-R-G	gold
Properties	
Glass thickness	6-10 mm
Maximum load on 2 hinges	45 kg



NLO-KP-S012P





Product code	Glass thickness	Hinge length	Finish
NLO-KP-S012P-1,45-6-PS	6 mm	1450 mm	polish
NLO-KP-S012P-1,9-6-PS	6 mm	1900 mm	polish
NLO-KP-S012P-2,1-6-PS	6 mm	2100 mm	polish
NLO-KP-S012P-2,1-6-B	6 mm	2100 mm	black
NLO-KP-S012P-1,9-8-PS	8 mm	1900 mm	polish

Properties	
Material	aluminum
Maximum load	35 kg
Working range 180°	


Hinges for glass showers

Screen hinge glass-glass

NLO-KP-S012






Product code	Glass thickness	Hinge length	Finish
NLO-KP-S012-1,45-6	6 mm	1450 mm	polish
NLO-KP-S012-1,9-6	6 mm	1900 mm	polish
NLO-KP-S012-2,1-6	6 mm	2100 mm	polish
NLO-KP-S012-1,9-8	8 mm	1900 mm	polish
Properties			
Material	aluminium		
Maximum load	35 kg		




„H” Profile to S012 screen hinge

NLO-KP-S012-H






Product code	Glass thickness	Hinge length	Finish
NLO-KP-S012-1,9-6-H	6 mm	1900 mm	polish
NLO-KP-S012-2,1-6-H	6 mm	2100 mm	polish
Properties			
Material	aluminium		
Maximum load	35 kg		





Screen hinge glass-glass

NLO-KP-S012P-GG



Product code	Glass thickness	Hinge length	Finish
NLO-KP-S012-2,1-6-GG-PS	6 mm	2100 mm	polish
Properties			
Material	aluminium		
Maximum load	35 kg		
Working range	180°		









05

CONNECTORS FOR GLASS SHOWERS

Connectors for glass showers

Connector wall-glass VERONA SLIM





VER-SLIM-900



Product code	Finish
VER-SLIM-900-PS	polish
VER-SLIM-900-SS	satin
VER-SLIM-900-B	black
VER-SLIM-900-G	gold
Properties	
Glass thickness	6-10 mm
Material	brass

Connector wall-glass 90° VERONA SLIM




VER-SLIM-901



Product code	Finish
VER-SLIM-901-PS	polish
VER-SLIM-901-SS	satin
VER-SLIM-901-B	black
VER-SLIM-901-G	gold
Properties	
Glass thickness	6-10 mm
Material	brass

Connector glass-glass 90° VERONA SLIM




VER-SLIM-902



Product code	Finish
VER-SLIM-902-PS	polish
VER-SLIM-902-SS	satın
VER-SLIM-902-B	black
VER-SLIM-902-G	gold
Properties	
Glass thickness	6-10 mm
Material	brass

Connector glass-glass VERONA SLIM




VER-SLIM-903



Product code	Finish
VER-SLIM-903-PS	polish
VER-SLIM-903-SS	satın
VER-SLIM-903-B	black
VER-SLIM-903-G	gold
Properties	
Glass thickness	6-10 mm
Material	brass

Connector wall-glass




NTL4000D1



Product code	Finish
NTL4000D1-PS	polish
NTL4000D1-SS	satın
NTL4000D1-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Connector wall-glass 90°





NTL4090D



Product code	Finish
NTL4090D-PS	polish
NTL4090D-SS	satın
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-glass 90°




NTL4090



Product code	Finish
NTL4090-PS	polish
NTL4090-SS	satın
NTL4090-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-glass 135°




NTL4135



Product code	Finish
NTL4135-PS	polish
NTL4135-SS	satin
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-glass 180°




NTL4180



Product code	Finish
NTL4180-PS	polish
NTL4180-SS	satin
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-wall

NTL5000D1







Product code	Finish
NTL5000D1-PS	polish
NTL5000D1-SS	satin
Properties	
Glass thickness	8-12 mm
Material	brass

Connectors for glass showers

Connector wall-glass 90°



NTL5090D




Product code	Finish
NTL5090D-PS	polish
NTL5090D-SS	satın
Properties	
Glass thickness	8-12 mm
Material	brass

Connector wall-glass 90°

NTL5090





Product code	Finish
NTL5090-PS	polish
NTL5090-SS	satın
Properties	
Glass thickness	8-12 mm
Material	brass




Connector glass-glass 135°

NTL5135





Product code	Finish
NTL5135-PS	polish
NTL5135-SS	satın
Properties	
Glass thickness	8-12 mm
Material	brass



Connector glass-glass 180°



NTL5180



Product code	Finish
NTL5180-PS	polish
NTL5180-SS	satın
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-glass 90°



NTL7000D1



Product code	Finish
NTL7000D1-PS	polish
NTL7000D1-SS	satın
NTL7000D1-B	black
Properties	
Glass thickness	8-12 mm
Material	brass

Connector glass-wall 90°

NTL7090D






Product code	Finish
NTL7090D-PS	polish
NTL7090D-SS	satın
NTL7090D-B	black
Properties	
Glass thickness	8-12 mm
Material	brass


Connectors for glass showers

Connector glass-glass 90°

NTL7090





Product code	Finish
NTL7090-PS	polish
NTL7090-SS	satin
NTL7090-B	black
Properties	
Glass thickness	8-12 mm
Material	brass




Connector glass-glass 135°

NTL7135




Product code	Finish
NTL7135-PS	polish
NTL7135-SS	satin
Properties	
Glass thickness	8-12 mm
Material	brass




Connector glass-glass 180°

NTL7180



Regulated connector wall-glass




NTL7090AD



Connectors for glass showers

Overlay connector glass-glass 90°



NLO-KP-2960



Product code	Finish
NLO-KP-2960-PS	polish
NLO-KP-2960-SS	satin
Properties	
Glass thickness	8-12 mm
Material	brass
Drilling holes in glass not needed	

Overlay connector wall-glass 90°



NLO-KP-2798



Product code	Finish
NLO-KP-2798-L-PS	polish
NLO-KP-2798-R-PS	polish
Properties	
Glass thickness	8-12 mm
Material	brass

Glass panel post

GMTL-0313



Product code	Finish
GMTL-0313-SS	satin
Properties	
Material	stainless steel




06

STABILIZERS FOR GLASS SHOWERS


Stabilizers for glass showers

Left corner stabilizer 220x140

C500L




Product code	Finish
C500L-PS	polish
C500L-B	black
C500L-G	gold
Properties	
Material	brass
Glass thickness	8-12 mm
Drilling holes in glass not needed	




Right corner stabilizer 220x140

C500R





Product code	Finish
C500R-PS	polish
C500R-B	black
C500R-G	gold
Properties	
Material	brass
Glass thickness	8-12 mm
Drilling holes in glass not needed	



Mounting wall-bar 90°



NLO-KP-2721




Product code	Finish
NLO-KP-2721-PS	polish
NLO-KP-2721-SS	satın
NLO-KP-2721-B	black
Properties	
Material	brass

Mounting wall-bar 90°

NLO-KP-2731





Product code	Finish
NLO-KP-2731-PS	polish
NLO-KP-2731-SS	satın
Properties	
Material	brass



Mounting wall-bar 45°

NLO-KP-2722





Product code	Finish
NLO-KP-2722-PS	polish
NLO-KP-2722-SS	satın
Properties	
Material	brass

Stabilizers for glass showers

Adjustable closed mounting bar-glass



NLO-KP-2723



Product code	Finish
NLO-KP-2723-PS	polish
NLO-KP-2723-SS	satin
Properties	
Material	brass

Vertical mounting bar-glass



NLO-KP-2724



Product code	Finish
NLO-KP-2724-PS	polish
NLO-KP-2724-SS	satin
NLO-KP-2724-B	black
Properties	
Material	brass

Mounting bar-glass

NLO-KP-2723B





Product code	Finish
NLO-KP-2723B-PS	polish
NLO-KP-2723B-B	black
Properties	
Material	brass

Stabilizers for glass showers

Adjustable mounting bar-bar



NLO-KP-2725



Product code	Finish
NLO-KP-2725-PS	polish
NLO-KP-2725-SS	satin
Properties	
Material	brass

Adjustable closed mounting bar-glass



NPR-PSC-006



Product code	Finish
NPR-PSC-006-PS	polish
NPR-PSC-006-SS	satin
Properties	
Material	brass

Adjustable mounting bar-wall

NTK-TW011





Product code	Finish
NTK-TW011-PS	polish
NTK-TW011-SS	satin
Properties	
Material	brass

Stabilizers for glass showers

Adjustable mounting bar-glass



NTK-TW012



Product code	Finish
NTK-TW012-PS	polish
NTK-TW012-SS	satin
Properties	
Material	brass

Three-way connector bar-bar



NTK-TW012-19



Product code	Finish
NTK-TW012-19-PS	polish
NTK-TW012-19-SS	satin
Properties	
Material	brass

Three-way connector bar-bar

NLO-KP-2726





Product code	Finish
NLO-KP-2726-PS	polish
NLO-KP-2726-SS	satin
NLO-KP-2726-B	black
Properties	
Material	brass

Stabilizers for glass showers

Connector bar-bar 90°



BT-709



Product code	Finish
BT-709-PS	polish
BT-709-SS	satin
Properties	
Material	brass

Connector bar-bar 135°


BT-704



Product code	Finish
BT-704-PS	polish
BT-704-SS	satin
Properties	
Material	brass

Stabilizer bar Ø19



NLO-KP-2728



Product code	L	Finish
NLO-KP-2728-2-PS	2000 mm	polish
NLO-KP-2728-1,3-PS	1300 mm	polish
NLO-KP-2728-1,3-SS	1300 mm	satin
NLO-KP-2728-1,5-B	1500 mm	black
NLO-KP-2728-1,0-B	1000 mm	black
Properties		
Material	stainless steel	

Mounting wall-bar 90°



NLO-KP-2741



Product code	Finish
NLO-KP-2741-PS	polish
NLO-KP-2741-SS	satin
Properties	
Material	brass

Mounting wall-bar 45°



NLO-KP-2742-45



Product code	Finish
NLO-KP-2742-45-PS	polish
NLO-KP-2742-45-SS	satin
Properties	
Material	brass

Adjustable open mounting bar-glass

NLO-KP-2743





Product code	Finish
NLO-KP-2743-PS	polish
NLO-KP-2743-SS	satin
Properties	
Material	brass

Stabilizers for glass showers

Adjustable closed mounting bar-glass



NLO-KP-2743A



Product code	Finish
NLO-KP-2743A-PS	polish
NLO-KP-2743A-SS	satin
Properties	
Material	brass

Vertical mounting bar-glass



NLO-KP-2743B



Product code	Finish
NLO-KP-2743B-PS	polish
NLO-KP-2743B-SS	satin
Properties	
Material	brass

Closed mounting bar-glass 90°

NLO-KP-2744





Product code	Finish
NLO-KP-2744-PS	polish
Properties	
Material	brass

Stabilizers for glass showers

Adjustable mounting bar-bar



NLO-KP-2745



Product code	Finish
NLO-KP-2745-PS	polish
NLO-KP-2745-SS	satin
Properties	
Material	brass

Adjustable mounting bar-wall



NLO-KP-2745A



Product code	Finish
NLO-KP-2745A-PS	polish
NLO-KP-2745A-SS	satin
Properties	
Material	brass

Open side mounting bar-glass


NLO-KP-2747



Product code	Finish
NLO-KP-2747-PS	polish
NLO-KP-2747-SS	satin
Properties	
Material	brass


Stabilizers for glass showers

NLO-KP-2746




Product code	Finish
NLO-KP-2746-PS	polish
NLO-KP-2746-SS	satin
Properties	
Material	brass

NLO-KP-2748-2



Product code	Finish
NLO-KP-2748-2-PS	polish
NLO-KP-2748-2-SS	satin
NLO-KP-2748-2-CH	chrom
Properties	
Material	stainless steel
Length	2000 mm

BT-962





Product code	Finish
BT-962-450-PS	polish
BT-962-700-PS	satin
Properties	
Material	brass

Stabilizers for glass showers

Three-way connector



NTKSQ803



Product code	Finish
NTKSQ803-PS	polish
NTKSQ803-SS	satın
NTKSQ803-B	black
NTKSQ803-G	gold
Properties	
Material	brass

Mounting wall-bar 90°



NTKSQ807



Product code	Finish
NTKSQ807-PS	polish
NTKSQ807-SS	satın
NTKSQ807-B	black
NTKSQ807-G	gold
Properties	
Material	brass

Open mounting bar-glass 90°

NTKSQ816





Product code	Finish
NTKSQ816-PS	polish
NTKSQ816-SS	satın
NTKSQ816-G	gold
Properties	
Material	brass

Stabilizers for glass showers

Closed mounting bar-glass 90°



NTKSQ817



Product code	Finish
NTKSQ817-PS	polish
NTKSQ817-SS	satin
NTKSQ817-B	black
NTKSQ817-G	gold
Properties	
Material	brass

Mounting bar-glass-ceiling



NTKSQ817B



Product code	Finish
NTKSQ817B-PS	polish
NTKSQ817B-SS	satin
NTKSQ817B-B	black
NTKSQ817B-G	gold
Properties	
Material	brass

Open mounting bar-glass 180°

NTKSQ818





Product code	Finish
NTKSQ818-PS	polish
NTKSQ818-SS	satin
NTKSQ818-G	gold
Properties	
Material	brass

Stabilizers for glass showers

Adjustable mounting wall-bar



NTKSQ819



Product code	Finish
NTKSQ819-PS	polish
NTKSQ819-SS	satın
NTKSQ819-B	black
NTKSQ819-G	gold
Properties	
Material	brass

Adjustable mounting bar-glass



NTKSQ820



Product code	Finish
NTKSQ820-PS	polish
NTKSQ820-SS	satın
NTKSQ820-B	black
NTKSQ820-G	gold
Properties	
Material	brass

Open side mounting bar-glass

NTKSQ821






Product code	Finish
NTKSQ821-PS	polish
NTKSQ821-SS	satın
NTKSQ821-B	black
NTKSQ821-G	gold
Properties	
Material	brass

Stabilizers for glass showers

Adjustable mounting bar-glass




NTKSQ822



Product code	Finish
NTKSQ822-PS	polish
NTKSQ822-SS	satin
NTKSQ822-B	black
NTKSQ822-G	gold
Properties	
Material	brass

Adjustable mounting bar-bar

NTKSQ823





Product code	Finish
NTKSQ823-PS	polish
NTKSQ823-SS	satin
NTKSQ823-G	gold
Properties	
Material	brass

Stabilizer bar 10x20mm

NTK1020

Product code	L	Finish
NTK1020-2000-PS	2000 mm	polish
NTK1020-2000-SS	2000 mm	satin
NTK1020-1300-CH	1300 mm	chrome
NTK1020-1300-PS	1300 mm	polish
NTK1020-1000-PS	1000 mm	polish
NTK1020-1500-B	1000 mm	black
NTK1020-1000-B	1000 mm	black
NTK1020-1500-G	1500 mm	gold
NTK1020-1000-G	1000 mm	gold
Properties		
Material	stainless steel	











07


**KNOBS AND
HANDLES** FOR
GLASS SHOWERS

Door knob

NLO-GŁ-51






Product code	Finish
NLO-GŁ-51-PS	polish
NLO-GŁ-51-SS	satın
NLO-GŁ-51-B	black
NLO-GŁ-51-G	gold
Properties	
Material	brass
Glass thickness	8-12 mm




Door knob

NLO-GŁ-52






Product code	Finish
NLO-GŁ-52-PS	polish
NLO-GŁ-52-SS	satın
NLO-GŁ-52-B	black
Properties	
Material	brass
Glass thickness	8-12 mm




Door knob

NLO-GŁ-09






Product code	Finish
NLO-GŁ-09-PS	polish
NLO-GŁ-09-SS	satın
Properties	
Material	brass
Glass thickness	8-12 mm



Door knob




GHD-692



Product code	Finish
GHD-692-PS	polish
GHD-692-SS	satin
Properties	
Material	brass
Glass thickness	8-12 mm

Door knob




NLO-GŁ-2801



Product code	Finish
NLO-GŁ-2801-PS	polish
NLO-GŁ-2801-SS	satin
NLO-GŁ-2801-B	black
NLO-GŁ-2801-G	gold
Properties	
Material	brass
Glass thickness	8-12 mm

Door knob

GHD-693






Product code	Finish
GHD-693-PS	polish
GHD-693-SS	satin
Properties	
Material	brass
Glass thickness	8-12 mm

Door knobs and handles

Door knob




GHD-695



Product code	Finish
GHD-695-PS	polish
GHD-695-SS	satın
Properties	
Material	brass
Glass thickness	8-12 mm

Door knob




NLO-GŁ-2804



Product code	Finish
NLO-GŁ-2804-PS	polish
NLO-GŁ-2804-SS	satın
Properties	
Material	brass
Glass thickness	8-12 mm

Door knob




NLO-GŁ-2803



Product code	Finish
NLO-GŁ-2803-PS	polish
NLO-GŁ-2803-SS	satın
NLO-GŁ-2803-B	black
Properties	
Material	brass
Glass thickness	8-12 mm

Door knob




NLO-GŁ-2802



Product code	Finish
NLO-GŁ-2802-PS	polish
NLO-GŁ-2802-SS	satin
Properties	
Material	brass
Glass thickness	8-12 mm

Door knob

GHD-699






Product code	Finish
GHD-699-PS	polish
GHD-699-SS	satin
Properties	
Material	brass
Glass thickness	8-12 mm

Door knobs and handles

Door knob





NLO-GŁ-2807



Product code	Finish
NLO-GŁ-2807-PS	polish
NLO-GŁ-2807-SS	satin
Properties	
Material	brass
Glass thickness	8-12 mm

Door knob



NLO-GŁ-2803A



Product code	Finish
NLO-GŁ-2803A-PS	polish
NLO-GŁ-2803A-SS	satin
Properties	
Material	brass
Glass thickness	8-12 mm

Door handle 19x19 mm

NLO-ZD-2856



Product code	L	Lo	Finish
NLO-ZD-2856-PS	220	203	polish
NLO-ZD-2856-SS	220	203	satın
NLO-ZD-2856-610-PS	630	610	polish
NLO-ZD-2856-610-SS	630	610	satın
NLO-ZD-2856-B	220	203	black
NLO-ZD-2856-G	220	203	gold



Properties

Glass thickness 8-12 mm

Material stainless steel

Door handle

NLO-ZD-2857



Product code	L	Lo	Finish
NLO-ZD-2857-PS	230	203	polish
NLO-ZD-2857-SS	230	203	satın
NLO-ZD-2857-B	230	203	black
NLO-ZD-2857-457-PS	480	455	polish
NLO-ZD-2857-457-SS	480	455	satın
NLO-ZD-2857-457-B	480	455	black
NLO-ZD-2857-610-SS	635	610	satın
NLO-ZD-2857-610-B	635	610	black



Properties

Material stainless steel

Door knobs and handles

Door handle 13x25 mm




NLO-ZD-2858



Product code	L	Lo	Finish
NLO-ZD-2858-PS	230	152	polish
NLO-ZD-2858-SS	230	152	satin
NLO-ZD-2858-610-PS	610	457	polish
NLO-ZD-2858-610-SS	610	457	satin
Properties			
Material		stainless steel	

Door handle 19x19 mm





NLO-ZD-2855



Product code	Finish
NLO-ZD-2855-PS	polish
NLO-ZD-2855-SS	satin
NLO-ZD-2855-B	black
Properties	
Material	
stainless steel	

Door handle



NLO-ZD-2850



Product code	Finish
NLO-ZD-2850-PS	polish
NLO-ZD-2850-SS	satın
Properties	
Material	stainless steel

Door handle Ø19 mm



NLO-ZD-2815



Product code	Finish
NLO-ZD-2815-400-PS	polish
NLO-ZD-2815-400-B	black
Properties	
Material	stainless steel

Door handle Ø19 mm

NLO-ZD-2816



Product code	Finish
NLO-ZD-2816-PS	polish
NLO-ZD-2816-SS	satin
NLO-ZD-2816-B	black
Properties	
Glass thickness	8-12 mm
Material	stainless steel





08

SEALS,
DOORSTEPS AND
„U” PROFILES

Aluminium magnetic seal 90° wall-glass MAGNUM



ALU-S-90-G-W



Product code	Finish
ALU-S-90-G-W-PS	polish
ALU-S-90-G-W-SS	satın
ALU-S-90-G-W-B	black
ALU-S-90-G-W-G	gold
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 90° glass-glass MAGNUM



ALU-S-90-G-G



Product code	Finish
ALU-S-90-G-G-PS	polish
ALU-S-90-G-G-SS	satın
ALU-S-90-G-G-B	black
ALU-S-90-G-G-G	gold
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 180° wall-glass MAGNUM



ALU-S-180-G-W



Product code	Finish
ALU-S-180-G-W-PS	polish
ALU-S-180-G-W-SS	satın
ALU-S-180-G-W-B	black
ALU-S-180-G-W-G	gold
Properties	
Material	aluminium
Length	2300 mm

Aluminium magnetic seal 180° glass-glass MAGNUM

ALU-S-180-G-G





Product code	Finish
ALU-S-180-G-G-PS	polish
ALU-S-180-G-G-SS	satın
ALU-S-180-G-G-B	black
ALU-S-180-G-G-G	gold
Properties	
Material	aluminium
Length	2300 mm

Rigid fin seal 180°

NLO-SP-2900



Product code	Glass thickness
NLO-SP-2900-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm



Seal - 90° fin

NLO-SP-2902S



Product code	Glass thickness
NLO-SP-2902S-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm



Seal - 90° fin

NLO-SP-2902



Product code	Glass thickness
NLO-SP-2902-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm



Offset base deflector seal 135°



NLO-SP-2903

Product code	Glass thickness
NLO-SP-2903-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm



Seal 180° bottom fin



NLO-SP-2905



Product code	Glass thickness
NLO-SP-2905-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm

Seal 180° bottom fin



NLO-SP-2905S



Product code	Glass thickness
NLO-SP-2905S-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm

Twin base deflector seal


NLO-SP-2906L



Product code	Glass thickness
NLO-SP-2906L-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm

Base deflector seal

NLO-SP-2913





Product code	Glass thickness
NLO-SP-2913-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm

Single base offset seal

NLO-SP-2914



Product code	Glass thickness
NLO-SP-2914-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm



Bubble seal

NLO-SP-2910



Product code	Glass thickness
NLO-SP-2910-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm



Bubble seal

NLO-SP-2910M




Product code	Glass thickness
NLO-SP-2910M-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm



Magnetic seal 90°/180°



NLO-SP-2909

Product code	Glass thickness
NLO-SP-2909-8-2,5	8 mm
Properties	
Material	polycarbonate
Length	2500 mm



Rigid fin seal 180°


NLO-KP-2900



Product code	Glass thickness
NLO-KP-2900-6-2,5	6 mm
NLO-KP-2900-8-2,5	8 mm
NLO-KP-2900-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm

Upright door jamb seal 135°


NLO-KP-2901



Product code	Glass thickness
NLO-KP-2901-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Seal - 90° fin


NLO-KP-2902S



Product code	Glass thickness
NLO-KP-2902S-6-2,5	6 mm
NLO-KP-2902S-8-2,5	8 mm
NLO-KP-2902S-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm

Seal - 90° fin

NLO-KP-2902





Product code	Glass thickness
NLO-KP-2902-8-2,5	8 mm
NLO-KP-2902-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm

Offset base deflector seal 135°

NLO-KP-2903




Product code	Glass thickness
NLO-KP-2903-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm



Centre fin seal 180°

NLO-KP-2904




Product code	Glass thickness
NLO-KP-2904-6-2,5	6 mm
NLO-KP-2904-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm



Centre fin seal 180°

NLO-KP-2904S



Product code	Glass thickness
NLO-KP-2904S-6-2,5	6 mm
NLO-KP-2904S-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm



Seal 180° bottom fin


NLO-KP-2905

Product code	Glass thickness
NLO-KP-2905-6-2,5	6 mm
NLO-KP-2905-8-2,5	8 mm
NLO-KP-2905-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm



Seal 180° bottom fin


NLO-KP-2905S



Product code	Glass thickness
NLO-KP-2905S-6-2,5	6 mm
NLO-KP-2905S-8-2,5	8 mm
NLO-KP-2905S-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm

Twin base seal


NLO-KP-2906



Product code	Glass thickness
NLO-KP-2906-6-2,5	6 mm
NLO-KP-2906-8-2,5	8 mm
NLO-KP-2906-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm

Twin base deflector seal


NLO-KP-2906L



Product code	Glass thickness
NLO-KP-2906L-6-2,5	6 mm
NLO-KP-2906L-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Base deflector seal

NLO-KP-2913





Product code	Glass thickness
NLO-KP-2913-6-2,5	6 mm
NLO-KP-2913-8-2,5	8 mm
NLO-KP-2913-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm

Base deflector seal

NLO-KP-2913P



Product code	Glass thickness
NLO-KP-2913P-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm



Bottom seal

NLO-KP-2914



Product code	Glass thickness
NLO-KP-2914-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm



Bubble seal

NLO-KP-2910



Product code	Glass thickness
NLO-KP-2910-6-2,5	6 mm
NLO-KP-2910-8-2,5	8 mm
NLO-KP-2910-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm



Bubble seal


NLO-KP-2910M

Product code	Glass thickness
NLO-KP-2910M-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm



Small bubble seal


NLO-KP-2916



Product code	Glass thickness
NLO-KP-2916-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Base deflector seal


NLO-KP-2917



Product code	Glass thickness
NLO-KP-2917-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Seal glass-glass between glass panels 90°


NLO-SC-90-10-3



Product code	Glass thickness
NLO-SC-90-10-3	10 mm
Properties	
Material	acrylic glass
Length	3000 mm
Adhesive tape on on both sides	

Seal glass-glass between glass panels 180°

NLO-SC-180-10-3





Product code	Glass thickness
NLO-SC-180-10-3	10 mm
Properties	
Material	acrylic glass
Length	3000 mm
Adhesive tape on on both sides	

Self adhesive bubble seal

NLO-KP-2915



Product code	Glass thickness
NLO-KP-2915-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm





Self adhesive base deflector seal

NLO-SP-2913T



Product code	Glass thickness
NLO-SP-2913T-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm





H type seal

NLO-KP-2920





Product code	Glass thickness
NLO-KP-2920-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm



Magnetic adhesive seal



NLO-SP-2921



Product code	Glass thickness
NLO-SP-2921-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm
1 set includes 2 magnets	

Magnetic adhesive seal 90°



NLO-SP-2909T-90



Product code	Glass thickness
NLO-KP-2909T-90-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm
1 set includes 2 magnets	

Magnetic adhesive seal 180°



NLO-SP-2909T-180



Product code	Glass thickness
NLO-KP-2909T-180-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm
1 set includes 2 magnets	

Magnetic seal 180°



NLO-KP-2907



Product code	Glass thickness
NLO-KP-2907-6-2,5	6 mm
NLO-KP-2907-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Magnetic seal 135°



NLO-KP-2908



Product code	Glass thickness
NLO-KP-2908-6-2,5	6 mm
NLO-KP-2908-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Magnetic seal 135°




NLO-KP-2908M



Product code	Glass thickness
NLO-KP-2908M-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Magnetic seal 90°/180°




NLO-KP-2909



Product code	Glass thickness
NLO-KP-2909-6-2,5	6 mm
NLO-KP-2909-8-2,5	8 mm
NLO-KP-2909-8-2,5-B	8 mm
Properties	
Material	PVC
Length	2500 mm

Magnetic seal 90°



NLO-KP-2909M



Product code	Glass thickness
NLO-KP-2909M-6-2,5	6 mm
NLO-KP-2909M-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Magnetic seal 180°



NLO-KP-2909W



Product code	Glass thickness
NLO-KP-2909W-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Magnetic seal 180°


NLO-KP-2909P





Product code	Glass thickness
NLO-KP-2909P-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm

Magnetic seal 180°

NLO-KP-2909C



Product code	Glass thickness
NLO-KP-2909C-8-2,5	8 mm
Properties	
Material	PVC
Length	2500 mm
Usage with NLO-KP-2909 seal	




Doorstep

NLO-KP-2966




Product code	Finish
NLO-KP-2966-PS	polish
Properties	
Length	2400 mm
Material	aluminium



Doorstep


NLO-KP-2967



Product code	Finish
NLO-KP-2967-PS	polish
Properties	
Length	2400 mm
Material	aluminium

Doorstep


NLO-KP-2968-6



Product code	Finish
NLO-KP-2968-6	colorless
Properties	
Length	2000 mm
Material	acrylic glass

Doorstep


NLO-KP-2968-8



Product code	Finish
NLO-KP-2968-8	colorless
Properties	
Length	2000 mm
Material	acrylic glass

Doorstep


NLO-KP-2968-10



Product code	Finish
NLO-KP-2968-10	colorless
Properties	
Length	2000 mm
Material	acrylic glass

Connector 90° doorstep-doorstep


NTFA90



Product code	Finish
NTFA90-PS	polish
NTFA90-B	black
NTFA90-G	gold
Properties	
Material	ABS

Doorstep


NTFALL11



Product code	L	Finish
NTFALL11-PS	2000 mm	polish
NTFALL11-B	2000 mm	black
NTFALL11-G	2000 mm	gold
Properties		
Material	aluminium	

Connector 90° doorstep-glass left


NTFA90L



Product code	Finish
NTFA90L-PS	polish
NTFA90L-B	black
NTFA90L-G	gold
Properties	
Glass thickness	8 mm
Material	ABS

Connector 90° doorstep-glass right


NTFA90R



Product code	Finish
NTFA90R-PS	polish
NTFA90R-B	black
NTFA90R-G	gold
Properties	
Glass thickness	8 mm
Material	ABS

Connector 135° doorstep-glass left


NTFA135L



Product code	Finish
NTFA135L-PS	polish
Properties	
Glass thickness	8 mm
Material	ABS

Connector 135° doorstep-glass right


NTFA135R



Product code	Finish
NTFA135R-PS	polish
Properties	
Glass thickness	8 mm
Material	ABS

Connector 180° doorstep-glass left


NTFA180L



Product code	Finish
NTFA180L-PS	polish
NTFA180L-B	black
NTFA180L-G	gold
Properties	
Glass thickness	8 mm
Material	ABS

Connector 180° doorstep-glass right


NTFA180R



Product code	Finish
NTFA180R-PS	polish
NTFA180R-B	black
NTFA180R-G	gold
Properties	
Glass thickness	8 mm
Material	ABS

„U” Profile

NLO-KP-2961



Product code	L	-PS	-SS	-B	-G	-NA
NLO-KP-2961-2,0	2000 mm	☒	☒	☒	☒	☒
NLO-KP-2961-2,5	2500 mm	☒	☒	☒	☒	☒
NLO-KP-2961-3,0	3000 mm	☒	☒	☒	☒	☒
NLO-KP-2961-5,0	5000 mm	☒	☒	☒	☒	☒
NLO-KP-2961-6,0	6000 mm	☒	☒	☒	☒	☒


Properties

Material *aluminium*

Glass thickness *8 mm*

Endcap for „U” profile


NLO-KP-2961-Z



Product code	Finish
NLO-KP-2961-Z-PS	<i>polish</i>
NLO-KP-2961-Z-SS	<i>satın</i>
NLO-KP-2961-Z-B	<i>black</i>
Properties	
Material	<i>stainless steel</i>

„U” Profile

NLO-KP-2961-10



Product code	L	-PS	-SS	-B
NLO-KP-2961-10-2,5	2500 mm	☒	☒	☒
NLO-KP-2961-10-3,0	3000 mm	☒	☒	☒


Properties

Material *aluminium*

Glass thickness *10 mm*

Endcap for „U” profile


NLO-KP-2961-10-Z



Product code	Finish
NLO-KP-2961-10-Z-PS	<i>polish</i>
NLO-KP-2961-10-Z-SS	<i>satın</i>
NLO-KP-2961-10-Z-B	<i>black</i>
Properties	
Material	<i>stainless steel</i>

Endcap for „U” profile



NLO-KP-3500-Z



Product code	Finish
NLO-KP-3500-Z-PS	polish
NLO-KP-3500-Z-SS	satin
NLO-KP-3500-Z-B	black
Properties	
Material	stainless steel

High „U” Profile


NLO-KP-3500



Product code	L	-PS	-SS	-B
NLO-KP-3500-2,0	2000 mm	☒	☒	☒
NLO-KP-3500-2,5	2500 mm	☒	☒	☒
NLO-KP-3500-5,0	5000 mm	☒	☒	☒
Properties				
Material	aluminium			
Glass thickness	8-12 mm			

Endcap for „U” profile



NLO-KP-3000-Z



Product code	Finish
NLO-KP-3000-Z-PS	polish
NLO-KP-3000-Z-SS	satin
NLO-KP-3000-Z-B	black
Properties	
Material	stainless steel

„U” Profile

NLO-KP-3000




Product code	L	-PS	-SS	-B	-NA
NLO-KP-3000-2,0	2000 mm	☒	☒	☒	☒
NLO-KP-3000-2,5	2500 mm	☒	☒	☒	☒
NLO-KP-3000-3,0	3000 mm	☒	☒	☒	☒
NLO-KP-3000-5,0	5000 mm	☒	☒	☒	☒
NLO-KP-3000-6,0	6000 mm	☒	☒	☒	☒
Properties					
Material	aluminium				
Glass thickness	8 mm				

Seals, doorsteps and „U” profiles

NLO-KP-3000 profile cover



NLO-KP-3000-M




Product code	Finish
NLO-KP-3000-M-PS	polish
NLO-KP-3000-M-SS	satin
NLO-KP-3000-M-B	black matte
Properties	
Material	aluminium
Length	2500 mm

Seal for „U” profile


NLO-KP-3000-8




Product code	Finish
NLO-KP-3000-8	colorless
NLO-KP-3000-8-B	black
Properties	
Material	PVC






Glass 8 mm



Glass 10 mm






Glass 12 mm




Seal for „U” profile

NLO-KP-3500-6





Glass 6 mm




Product code	Finish
NLO-KP-3500-6	colorless
NLO-KP-3500-6-B	black
Properties	
Material	PVC

H Profile - 90° - 30x30 mm for glass 8 mm CS-30-90-8-3,0




Product code	L	Finish
CS-30-90-8-3,0-PS	3000 mm	polish
CS-30-90-8-3,0-SS	3000 mm	satin
CS-30-90-8-3,0-B	3000 mm	black anodised
CS-30-90-8-3,0-G	3000 mm	gold
Properties		
Glass thickness	8 mm	
Material	aluminium	

H Profile - 180° - for glass 8 mm CS-30-180-8-3,0




Product code	L	Finish
CS-30-180-8-3,0-B	3000 mm	black anodised
Properties		
Glass thickness	8 mm	
Material	aluminium	

H Profile - 90° - 30x30 mm for glass 10 mm CS-30-90-10-3,0





Product code	L	Finish
CS-30-90-10-3,0-B	3000 mm	black anodised
Properties		
Glass thickness	10 mm	
Material	aluminium	

H Profile - 180° - for glass 10 mm CS-30-180-10-3,0




Product code	L	Finish
CS-30-180-10-3,0-B	3000 mm	black anodised
Properties		
Glass thickness	10 mm	
Material	aluminium	



Grid profile

CS-1902



Product code	Size	Finish
CS-1902-3000-B	19x2 mm	black anodised
Properties		
Length	3000 mm	

Tape for grid profiles


CS-ACX



Product code	Size	Length
CS-ACX-0,7-9-33	0,7x9 mm	33 m

„U” Profile

NLO-KP-2961-B



Product code	L	Finish
NLO-KP-2961-2,0-B	2000 mm	black
NLO-KP-2961-2,5-B	2500 mm	black
NLO-KP-2961-3,0-B	3000 mm	black
NLO-KP-2961-5,0-B	5000 mm	black
NLO-KP-2961-6,0-B	6000 mm	black
Properties		
Material	aluminium	
Glass thickness	8 mm	



09

**SLIDING
SYSTEMS** FOR
SHOWER CABINS

Sliding system

S001



Accessory set

NLO-DP01-S001




Product code	Finish
NLO-DP01-S001-PS	polish
Properties	
Maximum door weight	65 kg
Glass thickness	8-10 mm
Material	brass
Maximum length	2000 mm

One set consists of:	
Roller	2 pc.
Connector profile-wall	2 pc.
Door stopper	2 pc.
Door handle	1 pc.
Floor guides	1 pc.
Key for roller	1 pc.

Sliding profile


NLO-DP01-S001-2



Product code	Finish
NLO-DP01-S001-2-PS	polish
Properties	
Material	aluminium
Profile length	2000 mm

Angular guideway connector 90°


NLO-DP01-S001-3



Product code	Finish
NLO-DP01-S001-3-PS	polish
Properties	
Material	ABS


Mounting schema

S001 system




Usage example no. 1

Corner shower -
single sliding door




Usage example no. 2

Inline shower -
single sliding door



Usage example no. 3

Corner shower -
double sliding door



To properly design the cabin,
please contact our sales specialists.
Be careful! Different glass preparation!

Sliding system

S002



Sliding systems for shower cabins

Accessory set

NLO-DP02-S002




Product code	Finish
NLO-DP02-S002-PS	polish
NLO-DP02-S002-B	black
Properties	
Maximum door weight	65 kg
Glass thickness	8-10 mm
Material	brass
Maximum length	2000 mm

One set consists of:

Roller	2 pc.
Connector profile - wall	2 pc.
Door stopper	2 pc.
Door handle	1 pc.
Floor guides	1 pc.
Key for sliding roller	1 pc.

Sliding profile



NLO-DP02-S002-2



Product code	Finish
NLO-DP02-S002-2-PS	polish
NLO-DP02-S002-2-B	black
Properties	
Material	aluminium
Profile length	2000 mm

Angular guideway connector 90°


NLO-DP02-S002-3




Product code	Finish
NLO-DP02-S002-3-PS	polish
NLO-DP02-S002-3-B	black
Properties	
Material	ABS

Mounting schema

S002 system




Scale 2:1




Usage example no. 1

Corner shower -
single sliding door




Usage example no. 2

Inline shower -
single sliding door



Usage example no. 3

Corner shower -
double sliding door



To properly design the cabin,
please contact our sales specialists.
Be careful! Different glass preparation!

Sliding system

S003



Accessory set

NLO-DP03-S003



One set consists of:

Roller	2 pc.
Connector bar - wall	2 pc.
Connector glass - bar	2 pc.
Door stopper	2 pc.
Floor door stopper	2 pc.
Door handle	1 pc.
Floor guide	1 pc.


Attention: For mounting purposes, header bar needs 2 holes:

2x Ø10 mm through the bar

Product code	Finish
NLO-DP03-S003-PS	polish
NLO-DP03-S003-SS	satin
NLO-DP03-S003-B	black
NLO-DP03-S003-G	gold
Properties	
Max. door weight	65 kg
Glass thickness	8-12 mm
Material	stainless steel
Max. length	2000 mm

Header bar


NLO-DP03-S003-8-2



Product code	L	Finish
NLO-DP03-S003-8-2-PS	2000 mm	polish
NLO-DP03-S003-8-2-SS	2000 mm	satin
NLO-DP03-S003-8-2-B	2000 mm	black
NLO-DP03-S003-8-2-G	2000 mm	gold
Properties		
Material	stainless steel	

Connector bar-bar 90°


NLO-DP03-S003



Product code	Finish
NLO-DP03-S003-PS	polish
NLO-DP03-S003-SS	satin
NLO-DP03-S003-B	black
NLO-DP03-S003-G	gold
Properties	
Material	stainless steel

Point holder for fixed panel

NPC1213



Product code	Finish
NPC1213-PS	polish
NPC1213-SS	satin
NPC1213-B	black
NPC1213-G	gold
Properties	
Material	stainless steel

Fixed glass holder for S003/S010 systems

NLO-DP-S003/S010




Product code	Finish
NLO-DP-S003/S010-PS	polish
Properties	
Glass thickness	8-12 mm
Material	stainless steel


Mounting schema

S003 system


Scale 2:1



fixed panel



glass door



Usage example no. 1




Inline shower -
single sliding door

Usage example no. 2

Corner shower -
single sliding door

Usage example no. 3

Corner shower -
double sliding door



To properly design the cabin,
please contact our sales specialists.
Be careful! Different glass preparation!







10

PATCH FITTINGS AND FLOOR SPRINGS

Bottom hinge




GHD-110D




Product code	Finish
GHD-110D-PS	polish
GHD-110D-SS	satın
GHD-110D-B	black
Properties	
Glass thickness	8-12 mm

Top hinge

GHD-120D








Product code	Finish
GHD-120D-PS	polish
GHD-120D-SS	satın
GHD-120D-B	black
Properties	
Glass thickness	8-12 mm



Overpanel patch






GHD-130P



Product code	Finish
GHD-130P-PS	polish
GHD-130P-SS	satın
GHD-130P-B	black
Properties	
Glass thickness	8-12 mm

Overpanel patch




GHD-130S



Product code	Finish
GHD-130S-PS	polish
GHD-130S-SS	satın
Properties	
Glass thickness	8-12 mm

Over and side panel patch





GHD-160A



Product code	Finish
GHD-160A-PS	polish
GHD-160A-SS	satın
GHD-160A-B	black
Properties	
Glass thickness	8-12 mm

Patch connector - four panels

GHD-122A





Product code	Finish
GHD-122A-PS	polish
GHD-122A-SS	satın
Properties	
Glass thickness	8-12 mm

Patch fittings and floor springs

Patch connector - two panels




GHD-181A



Product code	Finish
GHD-181A-PS	polish
GHD-181A-SS	satın
Properties	
Glass thickness	8-12 mm

Panel-wall connector





GHD-191S



Product code	Finish
GHD-191S-PS	polish
GHD-191S-SS	satın
Properties	
Glass thickness	8-12 mm

Corner lock





GHD-150RD



Product code	Finish
GHD-150RD-PS	polish
GHD-150RD-SS	satın
GHD-150RD-B	black
Properties	
Glass thickness	8-12 mm

Lock with knob

NLO-ZD-3221






Product code	Finish
NLO-ZD-3221-PS	polish
NLO-ZD-3221-SS	satın
Properties	
Glass thickness	8-12 mm

Patch fittings and floor springs

Lock with knob




PCS-446A



Product code	Finish
PCS-446A-SS	satin
PCS-446A-B	black
Properties	
Glass thickness	8-12 mm

Lock with knob and strike patch



PCS-446B



Product code	Finish
PCS-446B-PS	polish
PCS-446B-SS	satin
PCS-446B-B	black
Properties	
Glass thickness	8-12 mm



Strike patch for NLO-ZD-3231 lock

NLO-ZD-3231-K




Lock with key insert

NLO-ZD-3231



Product code	Finish
NLO-ZD-3231-K-SS	satın
Properties	
Glass thickness	8-12 mm




Product code	Finish
NLO-ZD-3231-SS	satın
Properties	
Glass thickness	8-12 mm



Patch fittings and floor springs

Top pivot




NLO-ZD-1301



Product code	Finish
NLO-ZD-1301-PS	polish
NLO-ZD-1301-SS	satin
NLO-ZD-1301-B	black
Properties	
Material	stainless steel

Floor pivot




NLO-ZD-1302



Product code	Finish
NLO-ZD-1302-PS	polish
NLO-ZD-1302-SS	satin
Properties	
Material	stainless steel

Floor pivot

GHD-110-12D




Product code	Finish
GHD-110-12D-PS	polish
GHD-110-12D-SS	satin
Properties	
Material	stainless steel

Patch fittings and floor springs

Lock socket



GHD-100-6



Product code	Finish
GHD-100-6-SS	satın
Properties	
Material	stainless steel

Floor socket


NLO-ZD-100-SS



Product code	Finish
NLO-ZD-100-SS	satın
Properties	
Material	stainless steel

Door stopper




NLO-KP-2718



Product code	Finish
NLO-KP-2718-PS	polish
NLO-KP-2718-SS	satın
Properties	
Glass thickness	8-12 mm

Top hinge




N0302209



Product code	Finish
N0302209-SS	satín
Properties	
Glass thickness	8-12 mm

Top hinge - 125 cm





N0302209-125



Product code	Finish
N0302209-125-SS	satín
Properties	
Glass thickness	8-12 mm
Max. door width	1250 mm






Hydraulic bottom hinge

N0302109




Product code	Finish
N0302109-PS	polish
N0302109-SS	satın
N0302109-B	black
Properties	
Glass thickness	8-12 mm
Maximum door width	1000 mm
Maximum door weight	100 kg
Maximum opening angle	150°
Door opening stop	90°
Two sections of speed adjustments	
Adjustment range of closing speed	150°-10°
Adjustment range of closing speed	10°-0°
Adjustment range	
Side adjustment	± 3 mm
Front and back adjustment	± 3 mm
Angle adjustment of the door	± 4°
Tested for 200 000 opening cycles	

N0302109-125

A collection of various metal components, including plates, brackets, and fasteners, arranged on a white background. The components include two large rectangular plates, a smaller rectangular plate with a central hole, a U-shaped bracket, a small rectangular plate with a central hole, and several screws and bolts.

Floor door closer - type narrow





ST120



Product code	Finish
ST120-SS	satin
Properties	
Total size	209x102x52 mm
Size of the door closer	274x82x50 mm
Maximum door width	1100 mm
Maximum door weight	200 kg
Maximum opening angle	160°
Door opening stop	90°
Two sections of speed adjustments	
Adjustment range of closing speed	160°- 10°
Adjustment range of closing speed	10°- 0°
Adjustment of the door closer	
Side adjustment	± 3 mm
Front and back adjustment	± 3 mm
Tested for 200 000 opening cycles	

Floor door closer - type flat





ST110E



Product code	Finish
ST110E-SS	satın
Properties	
Total size	324x131x41 mm
Size of the door closer	306x108x40 mm
Maximum door width	950 mm
Maximum door weight	180 kg
Maximum opening angle	130°
Door opening stop	90°
Two sections of speed adjustments	
Adjustment range of closing speed	130°- 10°
Adjustment range of closing speed	10°- 0°
Adjustment of the door closer	
Side adjustment	± 3 mm
Front and back adjustment	± 3 mm
Vertical adjustment	5 mm
Tested for 200 000 opening cycles	
UL and CE certified	

Floor door closer

H555D





Product code	Finish
H555D-SS	satin
Properties	
Total size	274x126x51 mm
Size of the door closer	262x108x51 mm
Maximum door width	1000 mm
Maximum door weight	110 kg
Maximum opening angle	116°
Door opening stop	90°
Two sections of speed adjustments	
Adjustment range of closing speed	116°- 10°
Adjustment range of closing speed	10°- 0°
Adjustment of the door closer	
Side adjustment	± 3 mm
Front and back adjustment	± 3 mm
Vertical adjustment	5 mm
Tested for 200 000 opening cycles	






Door closer in top fitting

N0302222




Product code	Finish
N0302222-SS	satin
Properties	
Glass thickness	8-12 mm
Maximum door width	1000 mm
Maximum door weight	100 kg
Maximum opening angle	150°
Door opening stop	90°
Two sections of speed adjustments	
Adjustment range of closing speed	150°- 10°
Adjustment range of latching speed	10°- 0°
Adjustment of the door closer	
Side adjustment	+/- 3 mm
Front and back adjustment	+/- 3 mm
Vertical adjustment	+/- 4 mm
Tested for 200 000 opening cycles	
UL and CE certified	

N360200-SET









N360200-SET



Door closer for wooden doors

N0302121




Product code	Finish
N0302121-SS	satin
Properties	
Minimal door width	40 mm
Maximum door width	1000 mm
Maximum door weight	100 kg
Maximum opening angle	150°
Door opening stop	90°
Two sections of speed adjustments	
Adjustment range of closing speed	150°- 10°
Adjustment range of closing speed	10°- 0°
Adjustment of the door closer	
Side adjustment	± 3 mm
Front and back adjustment	± 3 mm
Vertical adjustment	± 4 mm
Tested for 200 000 opening cycles	


Patch fittings and floor springs

**360° central pivot for wooden doors
+ top fitting with axis**



N360200W



Hold open
(or no hold open)
90° (+/-1,5°)




Hold open
(or no hold open)
270° (+/-1,5°)



Product code	Finish
N360200W-SS	satin
Properties	
Door thickness	over 50 mm
Max. door width	2500 mm
Max. door weight	200 kg
Range	360°
Hold open	90°, 270°
Adjustment ranges	
Closing speed adjustment range	360° - 0°
Mounting foot adjustment range	
Side adjustment	± 3 mm
Front-back adjustment	± 3 mm
Tested for 200 000 operating cycles	

Measuring schema

N360200W




Patch fittings and floor springs


Door closer in top fitting with glass clamp

ND-980



Product code	Finish
ND-980-SS	satin
ND-980-B	black
Properties	
Maximum door width	900 mm
Maximum door weight	65 kg
Tested for 500 000 opening cycles	
Drilling holes in glass not needed	









11

DOOR HANDLES FOR GLASS DOORS

Door handles

Door handle



GMT-G800



Product code	D	d	L	Lo	Finish
GMT-G800-L450-PS	25	12	450	300	polish
GMT-G800-L450-SS	25	12	450	300	satın
GMT-G800-L450-B	25	12	450	300	black
GMT-G800-L500-SS	25	12	500	300	satın
GMT-G800-L600-PS	25	12	600	450	polish
GMT-G800-L600-SS	25	12	600	450	satın
GMT-G800-L600-B	25	12	600	450	black
GMT-G800-L800-SS	32	14	800	550	satın
GMT-G800-L1000-SS	32	14	1000	750	satın
GMT-G800-L1200-SS	38	14	1200	950	satın
GMT-G800-L1800-SS	38	14	1800	1550	satın
Properties					
Glass thickness					8-12 mm
Material					stainless steel

Door handle



GMT-G850



Product code	D	d	L	Lo	Finish
GMT-G850-L450-SS	25	12	450	425	satin
GMT-G850-L600-SS	25	12	600	575	satin
Properties					
Glass thickness					8-12 mm
Material					stainless steel

Door handle

GMT-G926




Product code	W	d	L	Lo	Finish
GMT-G926-L600-SS	30x15	10	600	585	satin
GMT-G926-L800-SS	38x25	10	800	775	satin
Properties					
Glass thickness					8-12 mm
Material					stainless steel


Door handles

Door handle Ø35 mm with a lock

NLO-ZD-98A-113





Product code	Finish
NLO-ZD-98A-113-SS	satin
Properties	
Glass thickness	10-12 mm
Material	stainless steel
Set consists of 1 lock socket and 4 keys	



Door handle 35x25 mm with a lock

NLO-ZD-98A-116



Product code	Finish
NLO-ZD-98A-116-SS	satin
NLO-ZD-98A-116-B	black
Properties	
Glass thickness	10-12 mm
Material	stainless steel
Set consists of 1 lock socket and 4 keys	

Door handles

NLO-ZD-98A door handle insert



NLO-ZD-98A-W



Product code	Finish
NLO-ZD-98A-W-SS	satin
Properties	
Set includes 4 keys	

Floor socket





NLO-ZD-100-SS



Product code	Finish
NLO-ZD-100-SS	satin
Properties	
Material	stainless steel

Door handle 19x19 mm





NLO-ZD-2850



Product code	Finish
NLO-ZD-2850-PS	polish
NLO-ZD-2850-SS	satin
Properties	
Glass thickness	8-12 mm
Material	stainless steel

Door handle 19x19 mm

NLO-ZD-2855





Product code	Finish
NLO-ZD-2855-PS	polish
NLO-ZD-2855-SS	satin
NLO-ZD-2855-B	black
Properties	
Glass thickness	8-12 mm
Material	stainless steel

Door handles

Door handle 19x19 mm



NLO-ZD-2856



Product code	L	Lo	Finish
NLO-ZD-2856-PS	220	203	polish
NLO-ZD-2856-SS	220	203	satin
NLO-ZD-2856-610-PS	630	610	polish
NLO-ZD-2856-610-SS	630	610	satin
NLO-ZD-2856-B	220	203	black
NLO-ZD-2856-G	220	203	gold
Properties			
Glass thickness			8-12 mm
Material			stainless steel

Door handle

NLO-ZD-2857





Product code	L	Lo	Finish
NLO-ZD-2857-PS	230	203	polish
NLO-ZD-2857-SS	230	203	satin
NLO-ZD-2857-B	230	203	black
NLO-ZD-2857-457-PS	480	455	polish
NLO-ZD-2857-457-SS	480	455	satin
NLO-ZD-2857-457-B	480	455	black
NLO-ZD-2857-610-PS	635	610	polish
NLO-ZD-2857-610-SS	635	610	satin
NLO-ZD-2857-610-B	635	610	black
Properties			
Glass thickness			8-12 mm
Material			stainless steel

Door handles

Door handle 13x25 mm



NLO-ZD-2858



Product code	L	Lo	Finish
NLO-ZD-2858-PS	230	152	polish
NLO-ZD-2858-SS	230	152	satin
NLO-ZD-2858-457-PS	610	457	polish
NLO-ZD-2858-457-SS	610	457	satin
Properties			
Glass thickness			8-12 mm
Material			stainless steel

Door handle Ø19 mm with a knob

NLO-ZD-2815




Product code	Finish
NLO-ZD-2815-400-PS	polish
NLO-ZD-2815-400-B	black
Properties	
Glass thickness	8-12 mm
Material	stainless steel

Door handles

Glass door handle 150x38 mm


NTDL-80



Product code	Finish
NTDL-80-NA	silver anodised
NTDL-80-SS	satın
NTDL-80-B	black anodised
Properties	
Glass thickness	8-12 mm
Material	aluminium

Glass door handle 150x40 mm, adhesive tape to glass

NTDL-90






Product code	Finish
NTDL-90-NA	silver anodised
NTDL-90-SS	satın
NTDL-90-B	black anodised
Properties	
Material	aluminium

Door handles

Sliding glass door handle fi65 mm



NTDL-65



Product code	Finish
NTDL-65-NA	silver anodised
NTDL-65-SS	satın
NTDL-65-B	black anodised
NTDL-65-PS	polish
NTDL-65-G	gold
Properties	
Glass thickness	8-12 mm
Material	aluminium

Sliding glass door handle fi65 mm, adhesive tape to glass

NTDL-65-NH







Product code	Finish
NTDL-65-NH-NA	silver anodised
NTDL-65-NH-SS	satın
NTDL-65-NH-B	black anodised
Properties	
Material	aluminium

Door handles

Door handle Ø19 mm




NLO-ZD-2816



Product code	Finish
NLO-ZD-2816-PS	polish
NLO-ZD-2816-SS	satin
NLO-ZD-2816-B	black
Properties	
Glass thickness	8-12 mm
Material	stainless steel

Sliding door handle




NTDL70



Product code	Finish
NTDL-70-SS	satin
NTDL-70-B	black
Properties	
Glass thickness	8-12 mm
Material	stainless steel

Sliding door handle





NJY-DP-P



Product code	Finish
NJY-DP-P-PS	polish
Properties	
Glass thickness	10-12 mm
Material	stainless steel

Sliding door handle

NPR-PSDK-104










Product code	Finish
NPR-PSDK-104-PS	polish
NPR-PSDK-104-SS	satın
Properties	
Glass thickness	8-12 mm
Material	stainless steel/ aluminium

Door handles

Door handle for MONACO sliding system

NTMON-H



Product code	Finish
NTMON-H-SS	satın
NTMON-H-NA	silver anodised
Properties	
Glass thickness	8-12 mm
Material	aluminium





12

**LOCKS AND
HINGES** FOR
GLASS DOORS


Locks and hinges for glass doors

Lock with a hole for door handle and insert

NT501





Product code	Finish
NT501-NA	silver anodised
NT501-SS	satín
NT501-B	black anodised
Properties	
Material	stainless steel/aluminium
Glass thickness	8-12 mm




Lock with a hole for door handle

NT501-WL





Product code	Finish
NT501-WL-NA	silver anodised
NT501-WL-SS	satín
NT501-WL-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm



Bathroom lock



NT501-WC



Product code	Finish
NT501-WC-NA	silver anodised
NT501-WC-SS	satin
NT501-WC-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Small economy lock

NT801






Product code	Finish
NT801-NA	silver anodised
NT801-SS	satin
NT801-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Locks and hinges for glass doors

Small bathroom lock




NT801-WC



Product code	Finish
NT801-WC-NA	silver anodised
NT801-WC-SS	satın
NT801-WC-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Strike patch

NTP01






Product code	Finish
NTP01-NA	silver anodised
NTP01-SS	satın
NTP01-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Locks and hinges for glass doors

Lock with a hole for door handle and insert




NT502



Product code	Finish
NT502-NA	silver anodised
NT502-SS	satin
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Lock with a hole for door handle

NT502-WL




Product code	Finish
NT502-WL-NA	silver anodised
NT502-WL-SS	satin
Properties	
Material	stainless steel
Glass thickness	8-12 mm


Locks and hinges for glass doors

Lock with a hole for door handle and insert

NT503




Product code	Finish
NT503-SS	satın
Properties	
Material	stainless steel
Glass thickness	8-12 mm




Lock with a hole for door handle

NT503-WL





Product code	Finish
NT503-WL-SS	satın
Properties	
Material	stainless steel
Glass thickness	8-12 mm



Lock with a hole for door handle



NT802



Product code	Finish
NT802-SS	satin
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Strike patch

NTP04




Product code	Finish
NTP04-SS	satin
Properties	
Material	stainless steel
Glass thickness	8-12 mm




Locks and hinges for glass doors

Magnetic lock with a hole for door handle and insert

NT501M




Product code	Finish
NT501M-NA	silver anodised
NT501M-SS	satín
NT501M-B	black anodised
NT501M-PS	polish
Properties	
Material	stainless steel
Glass thickness	8-12 mm






Magnetic economy lock

NT501M-WL





Product code	Finish
NT501M-WL-NA	silver anodised
NT501M-WL-SS	satín
NT501M-WL-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm



Locks and hinges for glass doors

Magnetic bathroom lock





NT501M-WC



Product code	Finish
NT501M-WC-NA	silver anodised
NT501M-WC-SS	satin
NT501M-WC-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Small magnetic lock

NT801M







Product code	Finish
NT801M-NA	silver anodised
NT801M-SS	satin
NT801M-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Locks and hinges for glass doors

Small magnetic bathroom lock





NT801M-WC



Product code	Finish
NT801M-WC-NA	silver anodised
NT801M-WC-SS	satin
NT801M-WC-B	black anodised
NT801M-WC-PS	polish
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Magnetic lock with a hole for door handle and insert



NT503M



Product code	Finish
NT503M-NA	silver anodised
NT503M-SS	satin
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Strike patch



NTP01M



Product code	Finish
NTP01M-NA	silver anodised
NTP01M-SS	satin
NTP01M-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Strike patch

NTP04M




Product code	Finish
NTP04M-SS	satin
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Locks and hinges for glass doors

Strike plate for standard lock



OFC-02



Product code	Finish
OFC-02-SS	satın
OFC-02-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Strike plate for magnetic lock


OFC-00-M




Product code	Finish
OFC-00-M-SS	satın
OFC-00-M-NA	silver anodised
OFC-00-M-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Drop seal - left/right

OFC-DS




Product code	L	Finish
OFC-DS-930-NA	930 mm	silver anodised
OFC-DS-1030-NA	1030 mm	silver anodised
OFC-DS-930-SS	930 mm	INOX anodised
OFC-DS-1030-SS	1030 mm	INOX anodised
OFC-DS-930-B	930 mm	black anodised
OFC-DS-1030-B	1030 mm	black anodised
Properties		
Material	aluminium	
Glass thickness	8-12 mm	



Locks and hinges for glass doors

Door handle


NTH01



Product code	Finish
NTH01-SS	satın
NTH01-NA	silver anodised
NTH01-B	black anodised
Properties	
Material	stainless steel/aluminium

Door handle


NTH02



Product code	Finish
NTH02-SS	satın
NTH02-NA	silver anodised
NTH02-B	black anodised
Properties	
Material	stainless steel/aluminium

Door handle

NTH06




Product code	Finish
NTH06-PS	polish
NTH06-SS	satın
NTH06-B	black anodised
Properties	
Material	stainless steel/aluminium

Locks and hinges for glass doors

Door handle


NTH04



Product code	Finish
NTH04-SS	satin
Properties	
Material	stainless steel

Door handle

NTH05



Product code	Finish
NTH05-SS	satin
Properties	
Material	stainless steel


Locks and hinges for glass doors

Lock insert - door knob, key

NTW01KG



Product code	Finish
NTW01KG-NA	silver anodised
NTW01KG-SS	satin
NTW01KG-B	black anodised
Properties	
Material	brass




Lock insert - door knob, key

NTW02KG




Product code	Finish
NTW02KG-SS	satin
NTW02KG-NA	silver anodised
Properties	
Material	brass




Bathroom lock insert - door knob

NTW01WC




Product code	Finish
NTW01WC-NA	silver anodised
NTW01WC-SS	satin
NTW01WC-B	black anodised
Properties	
Material	brass



Locks and hinges for glass doors

Wkładka do zamka - gałka/klucz


NTW02WC



Product code	Finish
NTW02WC-NA	silver anodised
NTW02WC-SS	satın
Properties	
Material	brass

Wkładka do zamka - klucz/klucz




NTW03KK



Product code	Finish
NTW03KK-SS	satın
NTW03KK-B	black chrome
Properties	
Material	brass

Zamek wpuszczany rolnkowy

NT134






Product code	Finish
NT134-SS	satın
NT134-B	black anodised
Properties	
Material	stainless steel

Locks and hinges for glass doors

Hook lock for sliding doors with a hole for an insert



NT301



Product code	Finish
NT301-SS	satin
NT301-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Steel wall plate for hook lock

NTP301




Product code	Finish
NTP301-SS	satin
NTP301-B	black anodised
Properties	
Material	stainless steel
Glass thickness	8-12 mm

Locks and hinges for glass doors

Strike patch for hook lock - wall mounting


NTP302



Product code	Finish
NTP302-SS	satin
NTP302-B	black anodised
Properties	
Material	aluminium
Glass thickness	8-12 mm

Strike patch for hook lock - mounting on glass in axis with door

NTP303




Product code	Finish
NTP303-SS	satin
NTP303-B	black anodised
Properties	
Material	aluminium
Glass thickness	8-12 mm

Locks and hinges for glass doors

Strike patch for hook lock - offset glass mounting


NTP304



Product code	Finish
NTP304-SS	satın
NTP304-B	black anodised
Properties	
Material	aluminium
Glass thickness	8-12 mm
Note - application in case of installation of sliding profile to glass wall	

Strike patch pads NTP303 - offset glass mounting

NTP305





Product code	Finish
NTP305-SS	satın
NTP305-B	black anodised
Properties	
Material	aluminium
Glass thickness	8-12 mm
Note - application in case of mounting fixed glass panel in NTMON1300 profile	

Locks and hinges for glass doors

Door frame hinge



NTZ-600



Product code	Finish
NTZ-600-SS	INOX anodised
NTZ-600-NA	silver anodised
NTZ-600-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg
Above 2200 mm height, it is recommended to use 3 hinges	

Door frame slim hinge






NTZ-700



Product code	Finish
NTZ-700-SS	INOX anodised
NTZ-700-NA	silver anodised
NTZ-700-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg
Above 2200 mm height, it is recommended to use 3 hinges	

Door frame hinge

NTZ-500





Product code	Finish
NTZ-500-SS	INOX anodised
NTZ-500-NA	silver anodised
NTZ-500-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg
Above 2200 mm height, it is recommended to use 3 hinges	

Locks and hinges for glass doors

Door frame hinge



NTZ-470



Product code	Finish
NTZ-470-SS	INOX anodised
NTZ-470-NA	silver anodised
NTZ-470-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door weight	60 kg

Wooden door frame hinge

NTZ-390




Product code	Finish
NTZ-390-SS	satín
NTZ-390-NA	silver anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium/ stainless steel
Max. door weight	60 kg


Locks and hinges for glass doors

Wooden door frame hinge

NTZ-380




Product code	Finish
NTZ-380-PS	polish
NTZ-380-SS	satin
NTZ-380-NA	silver anodised
NTZ-380-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Maks. waga drzwi	60 kg



Mounting pin with a plate for hinge


NTZ-380-TP



Product code	NTZ-380-TP
Properties	
Material	stainless steel

Mounting pin for hinge

NTZ-380-T



Product code	NTZ-380-T
Properties	
Material	stainless steel




13

ALUMINIUM
SYSTEMS FOR
OFFICE GLASS
WALLS


Door frames and mounting profiles

Door frame


OFC-1



100 - 130 mm




130 - 160 mm



160 - 195 mm

Product code	G	Finish
OFC-1-100-130-AL	100-130 mm	raw aluminium
OFC-1-100-130-NA	100-130 mm	silver anodised
OFC-1-100-130-SS	100-130 mm	INOX anodised
OFC-1-100-130-B	100-130 mm	black anodised
OFC-1-130-160-AL	130-160 mm	raw aluminium
OFC-1-130-160-NA	130-160 mm	silver anodised
OFC-1-130-160-SS	130-160 mm	INOX anodised
OFC-1-130-160-B	130-160 mm	black anodised
OFC-1-160-195-AL	160-195 mm	raw aluminium
OFC-1-160-195-NA	160-195 mm	silver anodised
OFC-1-160-195-SS	160-195 mm	INOX anodised
OFC-1-160-195-B	160-195 mm	black anodised
Properties		
Length	6000 mm	
Material	aluminium	






Acoustic insulation $R_w = 21 - 32$ dB

Door frame

OFC-1

- A - door width
- B - door height
- W - base opening width
- W1 - frame width
- H - base opening height
- H1 - door frame height



Door frames and mounting profiles

Set of mounting corners

OFC-1-K



Product code

OFC-1-K

Properties

Material stainless steel

Set for one door frame includes all items in the picture

Set of mounting corners

OFC-1-KIT



Product code

OFC-1-KIT

Properties

Material stainless steel

Set for one door frame includes all items in the picture

Wall seal frame

OFC-O



Product code	Color
OFC-O-GR	gray
OFC-O-B	black
Properties	
Material	PVC

Main seal for door frame


OFC-V



Product code	Glass thickness	Color
OFC-V-8-GR	8 mm	gray
OFC-V-8-B	8 mm	black
OFC-V-10-GR	10 mm	gray
OFC-V-10-B	10 mm	black
OFC-V-12-GR	12 mm	gray
OFC-V-12-B	12 mm	gray
Properties		
Material		PVC

Frame cover

OFC-M




Product code	Finish
OFC-M-AL	raw aluminium
OFC-M-SS	INOX anodised
OFC-M-NA	silver anodised
OFC-M-B	black anodised
Properties	
Length	6000 mm
Material	aluminium



Door frames and mounting profiles

Door frame

OFC-2




Product code	Finish
OFC-2-SS	INOX anodised
OFC-2-NA	silver anodised
OFC-2-B	black anodised
Properties	
Glass door thickness	8-10 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	

Acoustic insulation $R_w = 21 - 32$ dB

Mounting schema

OFC-2




A - door width
B - door height
W - base opening width
W1 - frame width
H - base opening height
H1 - door frame height

Door frames and mounting profiles

Door frame type „L”

OFC-2N-B



Product code	Finish
OFC-2N-SS	INOX anodised
OFC-2N-NA	silver anodised
OFC-2N-B	black anodised
Properties	
Glass door thickness	8-10 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	




Acoustic insulation $R_w = 21 - 32$ dB



Schemat wymiarowania

OFC-2N-B


A - door width
B - door height
W - base opening width
W1=W - frame width
H - base opening height
H1=H - door frame height



Door frames and mounting profiles

Door frame

OFC-3



Product code	Finish
OFC-3-SS	INOX anodised
OFC-3-NA	silver anodised
OFC-3-B	black anodised
Properties	
Glass door thickness	8-10 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	






Acoustic insulation $R_w = 21 - 32$ dB

Measuring schema

OFC-3


A - door width
B - door height
W - base opening width
W1 - frame width
H - base opening height
H1 - door frame height



Door frames and mounting profiles

Door frame type „Z”

OFC-3N-B




Product code	Finish
OFC-3N-SS	INOX anodised
OFC-3N-NA	silver anodised
OFC-3N-B	black anodised
Properties	
Glass door thickness	8-10 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	

Acoustic insulation $R_w = 21 - 32$ dB



Schemat wymiarowania


OFC-3N-B



Door frames and mounting profiles


Door frame

OFC-4S




Product code	Finish
OFC-4S-AL	raw aluminium
OFC-4S-SS	INOX anodised
OFC-4S-NA	silver anodised
OFC-4S-B	black anodised
Properties	
Glass door thickness	8-10 mm
Thickness of glass panel	8-12,76 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	

Acoustic insulation $R_w = 21 - 32$ dB





Measuring schema

OFC-4S




A - door width
 B - door height
 W - base opening width
 W1 - frame width
 H - base opening height
 H1 - door frame height



Door frames and mounting profiles

Frame cover

OFC-M



Product code	Finish
OFC-M-AL	raw aluminium
OFC-M-SS	INOX anodised
OFC-M-NA	silver anodised
OFC-M-B	black anodised
Properties	
Length	6000 mm
Material	aluminium

Set of mounting corners

OFC-2/3-KIT



Product code	Door frames
OFC-2/3-KIT	OFC-2 / OFC-3
OFC-2/3N-KIT	OFC-2N / OFC-3N
Properties	
Material	stainless steel

Frame to mounting profile connector

OFC-4-K



Product code
OFC-4-K
Properties
Material
Set for one door frame includes all items in the picture

stainless steel

Set of mounting corners

OFC-4S-KIT




Product code
OFC-4S-KIT
Properties
Material
Set for one door frame includes all items in the picture

stainless steel

Strike plate for lock


OFC-02



Product code	Finish
OFC-02-SS	satín
OFC-02-B	black
Properties	
Material	stainless steel

Strike plate for magnetic lock

OFC-00-M



Product code	Finish
OFC-00-M-SS	INOX anodised
OFC-00-M-NA	silver anodised
OFC-00-M-B	black anodised
Properties	
Material	stainless steel

Door frames and mounting profiles

Glass fix seal

CLM-8/10/12



glass 8 mm

glass 10-10,76 mm

glass 12-12,76 mm

Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10-10,76 mm	gray
CLM-10-B	10-10,76 mm	black
CLM-12-GR	12-12,76 mm	gray
CLM-12-B	12-12,76 mm	black
Properties		
Material		PVC

Main seal for door frame


OFC-V



Product code	Glass thickness	Finish
OFC-V-8-GR	8 mm	gray
OFC-V-8-B	8 mm	black
OFC-V-10-GR	10 mm	gray
OFC-V-10-B	10 mm	black
OFC-V-12-GR	12 mm	gray
OFC-V-12-B	12 mm	gray
Properties		
Material		PVC

Strike plate for electric strike lock



OFC-ES-P-SS



Product code	Finish
OFC-ES-P-SS	satin
Properties	
Material	stainless steel

Electric strike lock, standard 12V DC

OFC-ES-ST





CAREFUL!
Might require additional cutout in glass. Please ask your sales specialist for more information

Product code	
OFC-ES-ST	
Properties	
Voltage	12V DC

Electric strike lock, reverse, 12V DC

OFC-ES-REV




CAREFUL!
Might require additional cutout in glass. Please ask your sales specialist for more information.

Product code	
OFC-ES-REV	
Properties	
Voltage	12V DC



Installation pole *SINGLE*

CLM-143




Installation pole *SINGLE* set for 3,0 m includes:

CLM-143-M-3000 AL/NA/SS/B	2 pc.
CLM-143-B-150-AL	4 pc.
CLM-143-K	4 pc.
CLM-8/10/12	3 m

Measuring schema


CLM-143



Door frames and mounting profiles

Installation pole SINGLE - cover


CLM-143-M



Product code	L	Finish
CLM-143-M-3000-AL	3000 mm	raw aluminium
CLM-143-M-6000-AL	6000 mm	raw aluminium
CLM-143-M-3000-NA	3000 mm	silver anodised
CLM-143-M-6000-NA	6000 mm	silver anodised
CLM-143-M-3000-SS	3000 mm	INOX anodised
CLM-143-M-6000-SS	6000 mm	INOX anodised
CLM-143-M-3000-B	3000 mm	black anodised
CLM-143-M-6000-B	6000 mm	black anodised
Properties		
Material	aluminium	

Installation pole SINGLE - base profile

CLM-143-B



Product code	L	Finish
CLM-143-B-150-AL	150 mm	raw aluminium
CLM-143-B-6000-AL	6000 mm	raw aluminium
Properties		
Material	aluminium	

Glass fix seal for CLM-143

CLM-8/10/12



Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10-10,76 mm	gray
CLM-10-B	10-10,76 mm	black
CLM-12-GR	12-12,76 mm	gray
CLM-12-B	12-12,76 mm	black
Properties		
Material	PVC	

Installation pole SINGLE - mounting corner



CLM-143-K



Product code	CLM-143-K
Properties	
Material	stainless steel

Mounting profile - divided

CLM-2628





Product code	L	-AL	-SS	-B	-NA
CLM-2628-3000	3000 mm	☒	☒	☒	☒
CLM-2628-6000	6000 mm	☒	☒	☒	☒
Properties					
Material	aluminium				
Glass thickness	8-12,76 mm				

Acoustic insulation $R_w = 32 - 38$ dB

Mounting profile - type „U”

CLM-2628-G



Product code	L	-AL	-SS	-B	-NA
CLM-2628-G-3000	3000 mm	☒	☒	☒	☒
CLM-2628-G-6000	6000 mm	☒	☒	☒	☒
Properties					
Material	aluminium				
Glass thickness	8-12,76 mm				

Acoustic insulation $R_w = 32 - 38$ dB

Door frames and mounting profiles

Glass fix seals for CLM-2628/-G

U-8/10/12



glass 8mm

glass 10mm

glass 10,76mm


glass 12mm

glass 12,76mm

Product code	Glass thickness	Color
U-8-GR	8 mm	gray
U-8-B	8 mm	black
U-10-GR	10 mm	gray
U-10-B	10 mm	black
U-10,76-GR	10,76 mm	gray
U-10,76-B	10,76 mm	black
U-12-GR	12 mm	gray
U-12-B	12 mm	black
U-12,76-GR	12,76 mm	gray
U-12,76-B	12,76 mm	black
Properties		
Material	PVC	

End cap for mounting profile


CLM-2628-Z



Product code	Finish
CLM-2628-Z-SS	satin
CLM-2628-Z-NA	silver
CLM-2628-Z-B	black
Properties	
Material	stainless steel

Glass pad



CLM-P



Product code	Height
CLM-P3	3 mm
CLM-P4	4 mm
CLM-P5	5 mm
CLM-P6	6 mm
Properties	
Material	ABS
Set includes 10 pads	

Mounting profile - divided

CLM-3638





Product code	L	-AL	-SS	-B	-NA
CLM-3638-3000	3000 mm	☒	☒	☒	☒
CLM-3638-6000	6000 mm	☒	☒	☒	☒
Properties					
Material	aluminium				
Glass thickness	8-12,76 mm				

Acoustic insulation $R_w = 32 - 38$ dB

Mounting profile - type „U”

CLM-3638-G




Product code	L	-AL	-SS	-B	-NA
CLM-3638-G-3000	3000 mm	☒	☒	☒	☒
CLM-3638-G-6000	6000 mm	☒	☒	☒	☒
Properties					
Material	aluminium				
Glass thickness	8-12,76 mm				

Acoustic insulation $R_w = 32 - 38$ dB

Door frames and mounting profiles

Glass fix seal for CLM-3638/-G

CLM-8/10/12



glass 8 mm



glass 10-10,76 mm

glass 12-12,76 mm

Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10-10,76 mm	gray
CLM-10-B	10-10,76 mm	black
CLM-12-GR	12-12,76 mm	gray
CLM-12-B	12-12,76 mm	black
Properties		
Material	PVC	

End cap for mounting profile


CLM-3638-Z



Product code	Finish
CLM-3638-Z-SS	satın
CLM-3638-Z-NA	silver
CLM-3638-Z-B	black
Properties	
Material	stainless steel

Glass pad

CLM-P





Product code	Height
CLM-P3	3 mm
CLM-P4	4 mm
CLM-P5	5 mm
CLM-P6	6 mm
Properties	
Material	ABS


Set includes 10 pads

Mounting profile

CLM-41




Product code	Glass thickness	L	finish
CLM-41-10/12-2500-NA	10-12 mm	2500 mm	silver anodised
CLM-41-10/12-5000-NA	10-12 mm	5000 mm	silver anodised
CLM-41-10/12-2500-SS	10-12 mm	2500 mm	INOX anodised
CLM-41-10/12-5000-SS	10-12 mm	5000 mm	INOX anodised
CLM-41-10/12-2500-B	10-12 mm	2500 mm	black anodised
CLM-41-10/12-5000-B	10-12 mm	5000 mm	black anodised
Properties			
Material			aluminum
Recommended 3 clamps per meter			



Door frames and mounting profiles

Base profile


CLM-B



Product code	L
CLM-B-2500	2500 mm
CLM-B-5000	5000 mm
Properties	
Material	aluminium
Mounting holes every 300 mm	

Glass clamps


CLM-L



Product code	Glass thickness
CLM-L-10	10 mm
CLM-L-12	12 mm
Properties	
Material	aluminium
One set contains 8pc. of clamps and 8 pc. of pads	

Cover profile


CLM-41-M




Product code	L	Finish
CLM-41-M-2500-NA	2500 mm	silver anodised
CLM-41-M-5000-NA	5000 mm	silver anodised
CLM-41-M-2500-SS	2500 mm	INOX anodised
CLM-41-M-5000-SS	5000 mm	INOX anodised
CLM-41-M-2500-B	2500 mm	black anodised
CLM-41-M-5000-B	5000 mm	black anodised
Properties		
Material	aluminium	

Endcap

CLM-41-Z





Product code	Glass thickness	Finish
CLM-41-10-Z-NA	10 mm	silver anodised
CLM-41-12-Z-NA	12 mm	silver anodised
CLM-41-10-Z-SS	10 mm	INOX anodised
CLM-41-12-Z-SS	12 mm	INOX anodised
CLM-41-10-Z-B	10 mm	black anodised
CLM-41-12-Z-B	12 mm	black anodised
Properties		
Material	aluminium	



CGLASS OFFICE DOUBLE

Door frame

OFC-4S-DOUBLE




Product code	Finish
OFC-4S-DOUBLE-AL	raw aluminium
OFC-4S-DOUBLE-NA	silver anodised
OFC-4S-DOUBLE-B	black anodised
Properties	
Glass door thickness	8-10 mm
Thickness of glass panel	8-12,76 mm
Length	6000 mm
Material	aluminium
Max. door height	2400 mm
Above 2200 mm height, it is recommended to use 3 hinges.	



Weighted Sound Reduction Index $R_w = 21-32$ dB

Measuring schema

OFC-4S-DOUBLE




A - door width
 B - door height
 W - base opening width
 W1 - frame width
 H - base opening height
 H1 - door frame height



CGLASS OFFICE DOUBLE

Set of mounting corners

OFC-4S-DOUBLE-KIT



Product code

OFC-4S-DOUBLE-KIT

Properties

Material stainless steel

Main seal for door frame



OFC-V



Product code	Glass thickness	Finish
OFC-V-8-GR	8 mm	gray
OFC-V-8-B	8 mm	black
OFC-V-10-GR	10 mm	gray
OFC-V-10-B	10 mm	black
OFC-V-12-GR	12 mm	gray
OFC-V-12-B	12 mm	black
Properties		
Material	PVC	

Mounting profile - divided

CLM-3410-DOUBLE



Product code	L	Finish
CLM-3410-DOUBLE-6000-AL	6000 mm	raw aluminium
CLM-3410-DOUBLE-6000-NA	6000 mm	silver anodised
CLM-3410-DOUBLE-6000-B	6000 mm	black anodised



Properties

Glass thickness	8-12,76 mm
Material	aluminium
Max. height	3200 mm

Above 2800 mm height, it is recommended to use glass 12 mm or 66.2

Mounting profile - type „U”

CLM-3410-G-DOUBLE



Product code	L	Finish
CLM-3410-G-DOUBLE-6000-AL	6000 mm	raw aluminium
CLM-3410-G-DOUBLE-6000-NA	6000 mm	silver anodised
CLM-3410-G-DOUBLE-6000-B	6000 mm	black anodised

Properties


Glass thickness	8-12,76 mm
Material	aluminium
Max. height	3200 mm

Above 2800 mm height, it is recommended to use glass 12 mm or 66.2

Door frames and mounting profiles

Glazing cover

CLM-3410-M



Product code	L	Finish
CLM-3410-M-6000-AL	6000 mm	raw aluminium
CLM-3410-M-6000-NA	6000 mm	silver anodised
CLM-3410-M-6000-B	6000 mm	black anodised
Properties		
Material	aluminium	

90° fastening - door frame - mounting strip


CLM-3410-K



Product code	
CLM-3410-K	
Properties	
Material	stainless steel

Fixed glazing gasket


CLM-8/10/12



Product code	Glass thickness	Finish
CLM-8-GR	8 mm	gray
CLM-8-B	8 mm	black
CLM-10-GR	10 mm	gray
CLM-10-B	10 mm	black
CLM-10-GR	10,76 mm	gray
CLM-10-B	10,76 mm	black
CLM-12-GR	12 mm	gray
CLM-12-B	12 mm	black
CLM-1276-GR	12,76 mm	gray
CLM-1276-B	12,76 mm	black
Properties		
Material	PVC	

Glass pad


CLM-P



Product code	Height
CLM-P3	3 mm
CLM-P4	4 mm
CLM-P5	5 mm
CLM-P6	6 mm
Properties	
Material	ABS
Set includes 10 pads	

Installation pole - base profile


CLM-134



Product code	L	Finish
CLM-134-B	3000 mm	raw aluminium
Properties		
Material	stainless steel	

Installation pole - cover


CLM-134-M




Product code	L	Finish
CLM-134-M-6000-AL	6000 mm	raw aluminium
CLM-134-M-6000-SS	6000 mm	INOX anodised
CLM-134-M-6000-NA	6000 mm	silver anodised
CLM-134-M-6000-B	6000 mm	black anodised
Properties		
Material	aluminium	

Installation pole - expansion fastening

CLM-134




Product code	CLM-134
Properties	
Material	aluminium





Szpros i taśma do szprosów

CS-1902




Product code	Size	Finish
CS-1902-3000-B	19x2 mm	black anodised
CS-ACX-0,7-9-33	0,7x9 mm	-
Properties	Tape	Grid profile
Length	33 m	3000 mm

Frame profile with optional milling for door lock

CS-1512-2500-B



BE CAREFUL! To use profile without milling, it is advised to use the same glass preparation as for NTZ-650-B hinge.




BE CAREFUL! To use profile with milling, it is advised to change holes in glass for door lock - move 3 mm towards glass edge.

Product code	Milling	L	Finish
CS-1512-2500-B	-	2500 mm	black anodised
CS-1512-2500-F-L-B	left doors	2500 mm	black anodised
CS-1512-2500-F-R-B	right doors	2500 mm	black anodised
Properties			
Material			aluminium

Set of magnets for automatic closing

CS-MAGNET-SET






Product code

CS-MAGNET-SET




Loft door hinge

NTZ-650



BE CAREFUL! Different glass preparation



Product code	Finish
NTZ-650-B	black anodised
Properties	
Glass door thickness	8-10 mm
Material	aluminium
Max. door height	2400 mm
Max. door weight (2/3 hinges)	60/80 kg

Above 2200 mm height, it is recommended to use 3 hinges





14

**SLIDING
SYSTEMS** FOR
GLASS DOORS

Sliding systems for glass doors

SINGLE set for MONACO sliding system

NTMON00W1



Product code	Finish
NTMON00W1-NA	silver anodised
NTMON00W1-SS	satin
NTMON00W1-B	black anodised
One set consists of:	Quantity
Sliding trolley	2 pcs
Pneumatic self-closing mechanism	2 pcs
Trolley end-stopper	2 pcs
Floor guides	1 pc
Properties	
Maximum door weight	80 kg
Minimum door width	700 mm
Glass thickness	8-10 mm
Holes in glass not needed	
Adjustment of the closing force depending on the weight of the door	40-80 kg
Pneumatic soft close	

DOUBLE set for MONACO sliding system

NTMON00W2




Product code	Finish
NTMON00W2-NA	silver anodised
NTMON00W2-SS	satin
One set consists of:	Quantity
Sliding trolley	4 pcs
Pneumatic self-closing mechanism	4 pcs
Trolley end-stopper	2 pcs
Floor guides	2 pcs
Properties	
Maximum door weight	80 kg
Minimum door width	700 mm
Glass thickness	8-10 mm
Holes in glass not needed	
Adjustment of the closing force depending on the weight of the door	40-80 kg
Pneumatic soft close on each side	

Sliding systems for glass doors

SINGLE set for MONACO sliding system - 150 kg door

NTMON00W1-150


Product code	Finish
NTMON00W1-150-SS	satın
Equipment for one set	Quantity
Sliding trolley	2 pcs
Pneumatic self-closing mechanism	2 pcs
Trolley end-stopper	2 pcs
Floor guides	1 pc
Properties	
Maximum door weight	150 kg
Minimum door width	1100 mm
Glass thickness	8-10 mm
Holes in glass not needed	
Adjustment of the closing force depending on the weight of the door	120-150 kg
Pneumatic soft close of each side	
Adjustable glass thickness of floor guide	8-10 mm



SYNCHRONIC set for MONACO sliding system

NTMON-SYNCH-W2


Product code	Finish
NTMON00-SYNCH-W2-NA	silver anodised
One set consists of:	Quantity
Sliding trolley	4 pcs
Steel line	8 m
Roller	2 pcs
Line bracket	2 pcs
Trolley end-stopper	4 pcs
Floor guides	2 pcs
Properties	
Maximum door weight	80 kg
Minimum door width	700 mm
Glass thickness	8-10 mm
Holes in glass not needed	
Adjustment of the closing force depending on the weight of the door	40-80 kg
Pneumatic soft close of each side	
Adjustable glass thickness of floor guide	8-10 mm



Sliding systems for glass doors

Profile for MONACO sliding system

NTMON




Product code	L	-SS	-NA	-B
NTMON2200	2200 mm	☒	☒	☒
NTMON3000	3000 mm	☒	☒	☒
NTMON4000	4000 mm	☒	☒	☒
NTMON6000	6000 mm	☒	☒	☒

Properties


Material aluminium

Set includes: profile, cover and 2 end caps



Profile for MONACO sliding system - fixed panel

NTMON1300



Product code	L	Finish
NTMON1300-SS	1300 mm	satın
NTMON1300-NA	1300 mm	silver anodised
NTMON1300-B	1300 mm	black anodised


Properties

Material aluminium

Includes seals for 8 and 10 mm glass

Door guide for MONACO sliding system

NT-220




Product code	Finish
NT-220-SS	satın
NT-220-NA	silver anodised
NT-220-B	black anodised

Properties

Material stainless steel

Door stopper for MONACO sliding system

NT-230



Product code	Type	Finish
NT-230-L-SS	left	satın
NT-230-R-SS	right	satın
NT-230-L-B	left	black anodised
NT-230-R-B	right	black anodised


Properties

Glass thickness 8-12 mm

Material stainless steel

Endcap for „U” Profile


NLO-KP-2961-Z



Product code	Finish
NLO-KP-2961-Z-PS	polish
NLO-KP-2961-Z-SS	satin
NLO-KP-2961-Z-B	black
Properties	
Material	stainless steel

„U” Profile


NLO-KP-2961



Product code	L	-PS	-SS	-B	-G	-NA
NLO-KP-2961-2,0	2000 mm	☒	☑	☑	☒	☒
NLO-KP-2961-2,5	2500 mm	☑	☑	☑	☑	☑
NLO-KP-2961-3,0	3000 mm	☑	☑	☑	☑	☒
NLO-KP-2961-5,0	5000 mm	☒	☑	☑	☒	☑
NLO-KP-2961-6,0	6000 mm	☒	☑	☑	☒	☒
Properties						
Material						aluminium
Glass thickness						8 mm

Endcap for „U” Profile


NLO-KP-2961-10-Z



Product code	Finish
NLO-KP-2961-10-Z-PS	polish
NLO-KP-2961-10-Z-SS	satin
NLO-KP-2961-10-Z-B	black
Properties	
Material	stainless steel

„U” Profile

NLO-KP-2961-10




Product code	L	-PS	-SS	-B
NLO-KP-2961-10-2,5	2500 mm	☑	☑	☑
NLO-KP-2961-10-3,0	3000 mm	☑	☑	☑
Properties				
Material				aluminium
Glass thickness				10 mm

Sliding systems for glass doors

„U” Profile


NLO-KP-3000



Product code	L	-PS	-SS	-B	-NA
NLO-KP-3000-2,0	2000 mm	☒	☑	☑	☑
NLO-KP-3000-2,5	2500 mm	☑	☑	☑	☑
NLO-KP-3000-3,0	3000 mm	☑	☑	☑	☑
NLO-KP-3000-5,0	5000 mm	☒	☑	☑	☑
NLO-KP-3000-6,0	6000 mm	☒	☑	☑	☑
Properties					
Material		aluminium			
Glass thickness		8 mm			

Cover profile for NLO-KP-3000


NLO-KP-3000-M





Product code	Finish
NLO-KP-3000-M-PS	polish
NLO-KP-3000-M-SS	satin
NLO-KP-3000-M-B	black matte
Properties	
Material	aluminium
Length	2500 mm

Endcap for „U” profile

NLO-KP-3000-Z




Product code	Finish
NLO-KP-3000-Z-PS	polish
NLO-KP-3000-Z-SS	satin
NLO-KP-3000-Z-B	black
Properties	
Material	stainless steel



Grid profile

CS-1902



Product code	Size	Finish
CS-1902-3000-B	19x2 mm	black anodised
Properties		
Length	3000 mm	

Tape for grid profiles


CS-ACX



Product code	Size	Length
CS-ACX-0,7-9-33	0,7x9 mm	33 m

„U” Profile

NLO-KP-2961-B




Product code	L	Finish
NLO-KP-2961-2,0-B	2000 mm	black
NLO-KP-2961-2,5-B	2500 mm	black
NLO-KP-2961-3,0-B	3000 mm	black
NLO-KP-2961-5,0-B	5000 mm	black
NLO-KP-2961-6,0-B	6000 mm	black
Properties		
Material	aluminium	
Glass thickness	8 mm	


Mounting schema

MONACO sliding system


Wall Mounting



Ceiling Mounting




Ceiling Mounting




Mounting schema

MONACO SINGLE - wall




Mounting schema

MONACO SINGLE - to wall with fixed panel



Mounting schema


MONACO DOUBLE - to wall



Sliding systems for glass doors

Mounting schema

MONACO DOUBLE - to ceiling with fixed panel






Sliding systems for glass doors

Base fixing profile for MONACO glass wall




NTMON-5820-B



Product code	L	Finish
NTMON5820-B-2200-B	2200 mm	black anodised
NTMON5820-B-3000-B	3000 mm	black anodised
NTMON5820-B-4000-B	4000 mm	black anodised
NTMON5820-B-6000-B	6000 mm	black anodised
Properties		
Material	aluminium	

Fixing profile cover for MONACO glass wall


NTMON-5820-M



Product code	L	-SS	-NA	-B
NTMON-5820-M-2200	2200 mm	☒	☒	☒
NTMON-5820-M-3000	3000 mm	☒	☒	☒
NTMON-5820-M-4000	4000 mm	☒	☒	☒
NTMON-5820-M-6000	6000 mm	☒	☒	☒
Properties				
Material	aluminium			

End cap set for MONACO fixing profile cover

NTMON-Z-SET



Product code	Finish
NTMON-Z-SET-NA	silver anodised
NTMON-Z-SET-SS	INOX anodised
NTMON-Z-SET-B	black anodised
Properties	
Material	aluminium

Set of screws - fixing profile to glass wall




NTMON-5820-M6



Product code
NTMON-5820-M6
Properties
One set includes 6 screws


Mounting schema

MONACO glass wall sliding system




Mounting schema

MONACO glass wall sliding system - single door



Mounting schema


MONACO glass wall sliding system - double doors



Sliding systems for glass doors

Bar Ø25 mm



NLO-DP2-017/18



Product code	L
NLO-DP2-017-SS	2000 mm
NLO-DP2-018-SS	3000 mm
Properties	
Material	stainless steel
Diameter	Ø25 mm
Finish	satin

Roller


NLO-DP2-203



Product code	Finish
NLO-DP2-203-SS	satin
Properties	
Material	stainless steel
Maximum door weight for 2 rollers	80 kg
Glass thickness	8-10 mm

End cap for pipe


NLO-DP3-220



Product code	Finish
NLO-DP3-220-SS	satin
Properties	
Material	stainless steel

Mounting - pipe to wall




NLO-DP2-205




Product code	Finish
NLO-DP2-205-SS	satin
Properties	
Material	stainless steel

Mounting - pipe to glass

NLO-DP2-206



Product code	Finish
NLO-DP2-206-SS	satın
Properties	
Material	stainless steel



Mounting - pipe to glass



NLO-DP2-207



Product code	Finish
NLO-DP2-207-SS	satın
Properties	
Material	stainless steel

End stopper - left



NLO-DP-215-L



Product code	Finish
NLO-DP-215-L-SS	satin
Properties	
Material	stainless steel
Type	left

End stopper - right





NLO-DP-215-R



Product code	Finish
NLO-DP-215-R-SS	satin
Properties	
Material	stainless steel
Type	right

End stopper




NLO-DP2-216



Product code	Finish
NLO-DP2-216-SS	satın
Properties	
Material	stainless steel

Floor guide

NLO-DP3-LS-220




Product code	Finish
NLO-DP3-LS-220-SS	satın
Properties	
Material	stainless steel
Glass thickness	8-12 mm


Pipe sliding system

Mounting with NLO-DP2-203


Mounting on the wall



Mounting on the panel




Mounting schema Single door - to the wall




Mounting schema

Single door - to fixed panel




Mounting schema


Double door - to the wall



Mounting schema

Double door - to fixed panel











15

ELEMENTS FOR
GLASS CANOPIES




Example of glass dimensions






Example of glass dimensions



Connector wall-glass

NLO-DA-634


Product code	Material
NLO-DA-634/304	steel 304
NLO-DA-634/316	steel 316
Properties	
Glass thickness	12,76-21,52 mm
Thread type	right
Glass holes diameter	Ø20



Connector tension rod-glass

NLO-DA-635


Product code	Material
NLO-DA-635/304	steel 304
NLO-DA-635/316	steel 316
Properties	
Glass thickness	12,76-21,52 mm
Thread type	left
Glass holes diameter	Ø20



Connector wall-tension rod


NLO-DA-636

Product code	Material
NLO-DA-636/304	steel 304
NLO-DA-636/316	steel 316
Properties	
Thread type	right



Double connector wall-glass


NLO-DA-634-DOUBLE



Product code	Material
NLO-DA-634/304-DOUBLE	steel 304
Properties	
Glass thickness	12,76-21,52 mm
Thread type	right
Glass holes diameter	Ø20

Double connector tension rod-glass

NLO-DA-635-DOUBLE





Product code	Material
NLO-DA-635/304-DOUBLE	steel 304
Properties	
Glass thickness	12,76-21,52 mm
Thread type	left/ right
Glass holes diameter	Ø20

Elements for glass canopies

Double connector wall-tension rod


NLO-DA-636-DOUBLE



Product code	Material
NLO-DA-636/304-DOUBLE	steel 304
Properties	
Thread type	right

Rod


NLO-DA-M20/M10





Product code	Material
NLO-DA-M20/M10	steel 304
Properties	
Thread type	right M20 / M10
Thread length	330 mm

Tension rod

NLO-DA-003



Product code	Length
NLO-DA-003-195	195 mm
NLO-DA-003-150	150 mm
NLO-DA-003-120	120 mm
NLO-DA-003-100	100 mm
Properties	
Material	steel 304
Thread type	left/ right




16

GLASS BALUSTRADE SYSTEMS

Glass balustrade systems

Top mounting, glazing in handrail

Post balustrade system - TR-1-1



Handrail 95x30 mm

VSG 44.2
VSG 55.2

VSG ESG 44.2
VSG ESG 55.2

Glazing profile 31x25 mm

max 1100 mm

60



Properties

Glass type	44.2 - 55.2
Max. balustrade height	1200 mm
Max. distance between posts	1300 mm
Max. load	1,0 kN/m
Material	aluminium

Max. distance between posts depends
on balustrade configuration

Side mounting, glazing in handrail

Post balustrade system - TR-1-2





Properties	
Glass type	44.2 - 55.2
Max. balustrade height	1100 mm
Max. distance between posts	1300 mm
Max. load	1,0 kN/m
Material	aluminium
Max. distance between posts depends on balustrade configuration	

Glass balustrade systems

Side mounting, balcony cover, glazing in handrail

Post balustrade system - TR-1-3



Properties



Glass type	44.2 - 55.2
Max. balustrade height	1100 mm
Max. distance between posts	1300 mm
Max. load	1,0 kN/m
Material	aluminium

Max. distance between posts depends on balustrade configuration

Glass balustrade systems

*Side mounting,
balcony glass cover, glazing in handrail*

Post balustrade system - TR-1-4



Properties



Glass type	44.2 - 55.2
Max. balustrade height	1100 mm
Max. distance between posts	1300 mm
Max. load	1,0 kN/m
Material	aluminium

*Max. distance between posts depends
on balustrade configuration*

Glass balustrade systems

Top mounting, glazing under handrail

Post balustrade system - TR-2-1





Properties

Glass type	44.2 - 55.2
Max. balustrade height	1200 mm
Max. distance between posts	1300 mm
Max. load	1,0 kN/m
Material	aluminium

Max. distance between posts depends on balustrade configuration

Side mounting, glazing under handrail

Post balustrade system - TR-2-2





Properties	
Glass type	44.2 - 55.2
Max. balustrade height	1100 mm
Max. distance between posts	1300 mm
Max. load	1,0 kN/m
Material	aluminium
Max. distance between posts depends on balustrade configuration	

Glass balustrade systems

Side mounting,
balcony cover, glazing under handrail

Post balustrade system - TR-2-3



Properties



Glass type	44.2 - 55.2
Max. balustrade height	1100 mm
Max. distance between posts	1300 mm
Max. load	1,0 kN/m
Material	aluminium

Max. distance between posts depends
on balustrade configuration

Glass balustrade systems

*Side mounting,
balcony glass cover, glazing under handrail*

Post balustrade system - TR-2-4



Properties



Glass type	44.2 - 55.2
Max. balustrade height	1100 mm
Max. distance between posts	1300 mm
Max. load	1,0 kN/m
Material	aluminium

*Max. distance between posts depends
on balustrade configuration*

Glass balustrade systems

Balustrade post


TR-6338



Product code	Length	Finish
TR-6338-5600-AL	5600 mm	raw aluminium
TR-6338-5600-RAL	5600 mm	RAL
TR-6338-6000-AL	6000 mm	raw aluminium
TR-6338-6000-RAL	6000 mm	RAL
Properties		
Material		aluminium

Balustrade reinforcement post


TR-6338-B



Product code	Length	Finish
TR-6338-B-150-AL	150 mm	raw aluminium
TR-6338-B-6000-AL	6000 mm	raw aluminium
Properties		
Material		aluminium

Glazing profile


TR-3125



Product code	Length	Finish
TR-3125-6000-AL	6000 mm	raw aluminium
TR-3125-6000-RAL	6000 mm	RAL
Properties		
Material		aluminium

Glazing profile cover


TR-3125-M



Product code	Length	Finish
TR-3125-M-6000-AL	6000 mm	raw aluminium
TR-3125-M-6000-RAL	6000 mm	RAL
Properties		
Material		aluminium

Handrail with glazing


TR-9530



Product code	Length	Finish
TR-9530-6000-AL	6000 mm	raw aluminium
TR-9530-6000-RAL	6000 mm	RAL
Properties		
Material	aluminium	

Base profile for handrail with glazing


TR-9530-B



Product code	Length	Finish
TR-9530-B-6000-AL	6000 mm	raw aluminium
TR-9530-B-6000-RAL	6000 mm	RAL
Properties		
Material	aluminium	

Clip profile for top glazing


TR-2422



Product code	Length	Finish
TR-2422-6000-AL	6000 mm	raw aluminium
TR-2422-6000-RAL	6000 mm	RAL
Properties		
Material	aluminium	

Handrail post fixing

TR-MP





Product code	Finish
TR-MP-AL	raw aluminium
Properties	
Material	aluminium

Glass balustrade systems

Handrail without glazing



TR-7030



Product code	Length	Finish
TR-7030-6000-AL	6000 mm	raw aluminium
TR-7030-6000-RAL	6000 mm	RAL
Properties		
Material	aluminium	

Base profile for handrail without glazing


TR-7030-B



Product code	Length	Finish
TR-7030-B-6000-AL	6000 mm	raw aluminium
TR-7030-B-6000-RAL	6000 mm	RAL
Properties		
Material	aluminium	

„H” profile for double glazing


TR-6725



Product code	Length	Finish
TR-6725-6000-AL	6000 mm	raw aluminium
TR-6725-6000-RAL	6000 mm	RAL
Properties		
Material	aluminium	

Balcony slab cover


TR-243



Product code	Length	Finish
TR-243-6000-AL	6000 mm	raw aluminium
TR-243-6000-RAL	6000 mm	RAL
Properties		
Material	aluminium	

Balcony fixing post, high


TR-H115



Product code	Length	Finish
TR-H115-AL	120 mm	raw aluminium
TR-H115-RAL	120 mm	RAL
Properties		
Material	aluminium	

Insulated balcony fixing post


TR-H100



Product code	Length	Finish
TR-H100-AL	120 mm	raw aluminium
TR-H100-RAL	120 mm	RAL
Properties		
Material	aluminium	

Balcony fixing post, low


TR-H74



Product code	Length	Finish
TR-H74-AL	120 mm	raw aluminium
TR-H74-RAL	120 mm	RAL
Properties		
Material	aluminium	

„T” type insulated fixing post


TR-T



Product code	Length	Finish
TR-T-AL	120 mm	raw aluminium
TR-T-RAL	120 mm	RAL
Properties		
Material	aluminium	

Floor plate



TR-P102



Product code	Finish
TR-P102-AL	raw aluminium
TR-P102-RAL	RAL
Properties	
Material	aluminium

TR-9530 handrail endcap


TR-9530-Z



Product code	Type	Finish
TR-9530-Z-L-AL	left	raw aluminium
TR-9530-Z-L-RAL	left	RAL
TR-9530-Z-R-AL	right	raw aluminium
TR-9530-Z-R-RAL	right	RAL
Properties		
Material	aluminium	

TR-3125 handrail endcap


TR-3125-Z



Product code	Type	Finish
TR-3125-Z-L-AL	left	raw aluminium
TR-3125-Z-L-RAL	left	RAL
TR-3125-Z-R-AL	right	raw aluminium
TR-3125-Z-R-RAL	right	RAL
Properties		
Material	aluminium	

TR-7030 handrail endcap


TR-7030-Z



Product code	Finish
TR-7030-Z-AL	raw aluminium
TR-7030-Z-RAL	RAL
Properties	
Material	aluminium

TR-243 balcony slab cover endcap

TR-243-Z



Product code	Type	Finish
TR-243-Z-L-AL	left	raw aluminium
TR-243-Z-L-RAL	left	RAL
TR-243-Z-R-AL	right	raw aluminium
TR-243-Z-R-RAL	right	RAL
Properties		
Material		aluminium

TR-6725 glazing profile endcap


TR-6725-Z



Product code	Type	Finish
TR-6725-Z-L-AL	left	raw aluminium
TR-6725-Z-L-RAL	left	RAL
TR-6725-Z-R-AL	right	raw aluminium
TR-6725-Z-R-RAL	right	RAL
Properties		
Material		aluminium

TR-6338 handrail endcap

TR-6338-Z



Product code	Finish
TR-6338-Z-AL	raw aluminium
TR-6338-Z-RAL	RAL
Properties	
Material	aluminium

Glass balustrade systems

Handrail connector 90°

TR-90-K



Product code

TR-90-K

Properties

Material stainless steel

Glazing profile connector 90°

TR-90-3



Product code

TR-90-3

Properties

Material stainless steel

Handrail connector 180°

TR-180-K



Product code

TR-180-K

Properties

Material stainless steel

Glazing profile connector 180°

TR-180-3



Product code


TR-180-3

Properties

Material stainless steel

Handrail fixing - to the wall

TR-K



Product code

TR-K

Properties

Material stainless steel

Seals

U-876/1076

glass 8,76 mm



+



glass 10,76 mm




+



Product code	Glass thickness	Finish
U-876-GR	8,76 mm	grey
U-876-B	8,76 mm	black
U-1076-GR	10,76 mm	grey
U-1076-B	10,76 mm	black
Properties		
Material	PVC	

Glazing profile to balustrade post fixing set

TR-M6



Product code	Packaging
TR-M6	1 pc.
Properties	
Material	stainless steel

Attaching glazing profile to balustrade post requires 3,9x30 screw

Balustrade post to floor plate screw set

TR-M8-M12



Product code	Packaging
TR-M8-M12	1 set
Properties	
Material	stainless steel

Balustrade post to fitting screw set

TR-M8



Product code	Packaging
TR-M8	1 set - 2 pc.
Properties	
Material	stainless steel

TR-H to TR-T fixing screw set

TR-M8-M30



Product code	Packaging
TR-M8-M30	1 set - 2 pc.
Properties	
Material	stainless steel

Handrail to the wall screw set

TR-M10-M6



Product code	Packaging
TR-M10-M6	1 pc.
Properties	
Material	stainless steel

Reinforcement post to the floor screw set


TR-M16



Product code	Packaging
TR-M16	1 pc.
Properties	
Material	stainless steel


Mounting schema TR-1-1

Floor mounting using TR-P102




Mounting schema TR-1-1

Floor mounting using TR-M16




Mounting schema TR-1-2

Face balcony mounting using TR-H115




Mounting schema TR-1-2

Face balcony mounting using TR-H74




Mounting schema TR-1-2


Face insulated balcony mounting using TR-H115



Mounting schema

TR-3125 and TR-6725 glazing profiles






Glass balustrade systems

Aluminium balustrade profile - top fixing

NB-6000P




Product code	Length	Finish
NB-6000P-NA	6000 mm	silver anodised

Properties

Glass type	66.2-1010.4
Max. balustrade height	1300 mm
Mounting hole distance	co 150 mm
Max. load	1,0 kN/m
Material	aluminium

System drainage from profile ever 1000 mm



End cap

NB-6000-Z



Product code	Finish
NB-6000-Z-NA	silver anodised


Properties

Material	stainless steel
----------	-----------------

Glass balustrade systems

Drainage profile for NB-6000P - top fixing profile

NB-6000W




Product code	Length	Finish
NB-6000W-NA	6000 mm	silver anodised
Properties		
Material	aluminium	

End cap for profile with drainage

NB-6000-ZW




Product code	Finish
NB-6000-ZW-NA	silver anodised
Properties	
Material	stainless steel



Glass balustrade systems

Aluminium balustrade profile - top offset fixing


NB-6200P



Product code	Length	Finish
NB-6200P-NA	6000 mm	silver anodised

Properties	
Glass type	66.2-1010.4
Max. balustrade height	1300 mm
Mounting hole distance	co 250 mm
Max. load	2,0 kN/m
Material	aluminium

System drainage from profile ever 1000 mm



Mounting foot cover

NB-6200-M



Product code	Length	Finish
NB-6200M-NA	6000 mm	silver anodised
Properties		
Material	aluminium	

End cap

NB-6200-Z




Product code	Finish
NB-6200-Z-L-NA	silver anodised
NB-6200-Z-R-NA	silver anodised
Properties	
Material	stainless steel

Glass balustrade systems

Drainage profile for NB-6200P - top offset fixing

NB-6200W




Product code	Length	Finish
NB-6200W-NA	6000 mm	silver anodised
Properties		
Material	aluminium	

End cap for profile with drainage

NB-6200-ZW




Product code	Finish
NB-6200-ZW-L-NA	silver anodised
NB-6200-ZW-R-NA	silver anodised
Properties	
Material	stainless steel




Glass balustrade systems

Aluminium balustrade profile - side fixing NB-6100P



Product code	Length	Finish
NB-6100P-NA	6000 mm	silver anodised
Properties		
Glass type		66.2-1010.4
Max. balustrade height		1300 mm
Mounting hole distance		co 250 mm
Max. load		2,0 kN/m
Material		aluminium
System drainage from profile ever 1000 mm		



Profile cover NB-6100-M



Product code	Length	Finish
NB-6100M-NA	6000 mm	silver anodised
Properties		
Material	aluminium	

End cap NB-6100-Z




Product code	Finish
NB-6100-Z-L-NA	silver anodised
NB-6100-Z-R-NA	silver anodised
Properties	
Material	stainless steel


Glass balustrade systems

Drainage profile for NB-6100P - side fixing

NB-6100W



Product code	Length	Finish
NB-6100W-NA	6000 mm	silver anodised
Properties		
Material	aluminium	



End cap for profile with drainage

NB-6100-ZW




Product code	Finish
NB-6100-ZW-L-NA	silver anodised
NB-6100-ZW-R-NA	silver anodised
Properties	
Material	stainless steel

Cover for profile with drainage

NB-6100-MW




Product code	Length	Finish
NB-6100-MW-NA	6000 mm	silver anodised
Properties		
Material	aluminium	



Glass balustrade systems


Aluminium balustrade profile - side fixing inverted

NB-6150P



Product code	Length	Finish
NB-6150P-NA	6000 mm	silver anodised
Properties		
Glass type	66.2-1010.4	
Max. balustrade height	1300 mm	
Mounting hole distance	co 250 mm	
Max. load	2,0 kN/m	
Material	aluminium	

System drainage from profile ever 1000 mm



Profile cover

NB-6100-M



Product code	Length	Finish
NB-6100M-NA	6000 mm	silver anodised
Properties		
Material	aluminium	

End cap

NB-6100-Z




Product code	Finish
NB-6100-Z-L-NA	silver anodised
NB-6100-Z-R-NA	silver anodised
Properties	
Material	stainless steel


Glass balustrade systems

Drainage profile - side fixing inverted

NB-6150W



Product code	Length	Finish
NB-6100W-NA	6000 mm	silver anodised
Properties		
Material	aluminium	



End cap for profile with drainage

NB-6100-ZW




Product code	Finish
NB-6100-ZW-L-NA	silver anodised
NB-6100-ZW-R-NA	silver anodised
Properties	
Material	stainless steel

Cover for profile with drainage

NB-6100-MW




Product code	Length	Finish
NB-6100-MW-NA	6000 mm	silver anodised
Properties		
Material	aluminium	



Glass balustrade systems


Aluminium balustrade profile - offset side fixing

NB-6300P



Product code	Length	Finish
NB-6300P-NA	6000 mm	silver anodised
Properties		
Glass type	66.2-1010.4	
Max. balustrade height	1300 mm	
Mounting hole distance	co 200 mm	
Max. load	2,0 kN/m	
Material	aluminium	

System drainage from profile ever 1000 mm



Profile cover

NB-6300M



Product code	Length	Finish
NB-6300M-NA	6000 mm	silver anodised
Properties		
Material	aluminium	

End cap

NB-6300-Z




Product code	Finish
NB-6300-Z-NA	silver anodised
Properties	
Material	stainless steel

Glass balustrade systems

Drainage profile - offset side fixing

NB-6300P



Product code	Length	Finish
NB-6300W-NA	6000 mm	silver anodised
Properties		
Material	aluminium	

End cap for profile with drainage

NB-6300-ZW




Product code	Finish
NB-6300-ZW-NA	silver anodised
Properties	
Material	stainless steel

Cover for profile with drainage

NB-6300-MW




Product code	Length	Finish
NB-6300-MW-NA	6000 mm	silver anodised
Properties		
Material	aluminium	



Glass balustrade systems

Seals and wedges for balustrade profiles

NB-V



Product code	Glass thickness
NB-1276V	12,76 mm
NB-1352V	13,52 mm
NB-1676V	16,76 mm
NB-1752V	17,52 mm
NB-2076V	20,76 mm
NB-2152V	21,52 mm

Properties

One set for 1m contains:

4 pc. of pads


4pc. of wedges

1m of base seal

1m of push-in seal

Dowel pin for balustrade profiles

NB-6500




Product code	Material
NB-6500	stainless steel

Steel anchor for balustrade profiles

NB-M1250125



Product code	Material
NB-M1250125	stainless steel
Properties	
Diameter	Φ 12 mm




Adjustable point fixing - COSMO


COS




COS-3430-304




COS-4830-304



COS-4840-304



COS-4850-304





Product code	Diameter	Distance	Hole in the glass	Finish
COS-3430-304-SS	Ø 34	30mm	Ø 24	satin
COS-3430-304-B	Ø 34	30mm	Ø 24	black chrome
COS-4830-304-SS	Ø 48	30mm	Ø 28	satin
COS-4830-304-B	Ø 48	30mm	Ø 28	black chrome
COS-4830-304-MB	Ø 48	30 mm	Ø 28	black matte
COS-4830-304-G	Ø 48	30 mm	Ø 28	gold
COS-4840-304-SS	Ø 48	40 mm	Ø 28	satin
COS-4840-304-B	Ø 48	40 mm	Ø 28	black chrome
COS-4850-304-SS	Ø 48	50 mm	Ø 28	satin
COS-4850-304-B	Ø 48	50 mm	Ø 28	black chrome

Properties

Glass thickness	12-21,52 mm
Adjustment distance range	5 mm
Material	stainless steel

Balustrade mounting




Adjustable point fixings - COSMO



Properties	
Glass type	66.2-1010.4
Max. balustrade height	1100 mm
Max. load	1,0 kN/m
Material	aluminium

Balustrade spigot



NJ-J5050182



Product code	Finish
NJ-J5050182-SS	satín
Properties	
Material	Stainless steel 304
Holder height	185 mm
Glass thickness	12-17,52mm

Balustrade mounting




Balustrade spigot - NJ-J5050182



Properties	
Glass type	66.2-1010.4
Max. balustrade height	1100 mm
Max. load	1,0 kN/m
Material	aluminium

Glass point fixing

NJ-00



Product code	Glass hole	Diameter D	Pin diameter	Glass thickness
NJ-0016-SS	Ø10 mm	16 mm	M5	4-10 mm
NJ-0030-SS	Ø18 mm	30 mm	M8	6-21 mm
NJ-0052-SS	Ø22 mm	52 mm	M10	10-21 mm
NJ-0072-SS	Ø22 mm	72 mm	M10	10-21 mm



Properties

Material stainless steel 304

Finish satin

Glass panel connector

NPR-030AD




Product code	Glass thickness
NPR-030AD/10-13,52/304-SS	10-13,52 mm
NPR-030AD/16-17,52/304-SS	16-17,52 mm
NPR-030AD/19-21,52/304-SS	19-21,52 mm

Properties




Glass point fixing diameter Ø30 mm

Finish satin



Glass point holder




NLO-S-11404-75



Product code	Finish
NLO-S-11404-75-SS	satin
Properties	
Material	stainless steel 304
Glass point fixing diameter	Ø55 mm
Diameter of holes in glass	Ø14 mm
Glass thickness	8-21,52 mm

Glass point holder


NLO-S-11404-40



Product code	Finish
NLO-S-11404-40-SS	satin
Properties	
Material	stainless steel 304
Glass point fixing diameter	Ø55 mm
Diameter of holes in glass	Ø14 mm
Glass thickness	8-21,52 mm

French balustrade profiles

NPF-1200-SET







Product code	Finish
NPF-1200-SET-AL	raw aluminium
NPF-1200-SET-NA	silver anodised
NPF-1200-SET-RAL	RAL
Properties	
Glass type	66.2 - 88.4
Max. load	1,6 kN/m
Balustrade height	900-1200 mm
Max. width	1800 mm
Material	aluminium
Set consists of:	
Base profile L=1200 mm	2 pc.
Cover profile L=1200 mm	2 pc.
Window mounting screw	8 pc.
Endcap mounting screw	8 pc.
Endcap	2 pc.
Base seal L=1200 mm	8 pc.
Wedge seal for glass 12,76-13,52 mm L=1200 mm	2 pc.
Wedge seal for glass 16,76-17,52 mm L=1200 mm	2 pc.



Handrail

NPC-3730



Product code	Length	Finish
NPC-3730-AL	6000 mm	raw aluminium
NPC-3730-NA	6000 mm	silver anodised
NPC-3730-RAL	6000 mm	RAL
Properties		
Material	aluminium	

Handrail seals

NJ-J5491



Product code	Glass thickness
NJ-J549111	12,76-13,52 mm
NJ-J549116	16,76-17,52 mm
NJ-J549122	20,76-21,52 mm
Properties	
Material	rubber

Handrail connectors

NPC-3730-K



Product code	Type
NPC-3730-90-K	90°
NPC-3730-180-K	180°
NPC-3730-AD-K	adjustable
Properties	
Material	stainless steel

Handrail endcap


NPC-3730-Z



Product code	Finish
NPC-3730-Z-AL	raw aluminium
NPC-3730-Z-RAL	RAL
Properties	
Material	stainless steel

„C” type handrail


NPC-1410/1814/2218



Product code	Length	Glass thickness
NPC1410-NA	6000 mm	12,76-13,52 mm
NPC1814-NA	6000 mm	16,76-17,52 mm
NPC2218-NA	6000 mm	20,76-21,52 mm
Properties		
Material	aluminium	
Finish	silver anodized	

Round handrail

NJ-J54534



Product code	Diagonal	Material
NJ-J545342	Ø42,4 mm	304
NJ-J545342-5-316L	Ø42,4 mm	316
NJ-J545348	Ø48,3 mm	304
Properties		
Length	2500 mm / 5000 mm	
Material	stainless steel 304 brushed	

Round handrail seals


NJ-J549



Product code	Glass thickness	Handrail type
NJ-J549111	12,76-13,52 mm	42,4 mm
NJ-J549116	16,76-17,52 mm	42,4 mm
NJ-J549122	20,76-21,52 mm	42,4 mm
NJ-J549211	12,76-13,52 mm	48,3 mm
NJ-J549216	16,76-17,52 mm	48,3 mm
NJ-J549222	20,76-21,52 mm	48,3 mm
Properties		
Material	rubber	

Square handrail

NJ-S640268



Product code	Length	Material	Diameter
NJ-S640268	2500 mm	AISI 304	40x40 mm
NJ-S640268-5	5000 mm	AISI 304	40x40 mm
Properties			
Material	AISI 304		

Square handrail seals



NJ-J5491



Product code	Glass thickness	Handrail type
NJ-J549111	12,76-13,52 mm	40x40 mm
NJ-J549116	16,76-17,52 mm	40x40 mm
NJ-J549122	20,76-21,52 mm	40x40 mm
Properties		
Material	rubber	

Square horizontal connector 90°


NJ-S310168



Product code	Diameter	H
NJ-S310168	40x40 mm	30 mm
Properties		
Material	AISI 304	

Square straight connector 180°


NJ-S310368



Product code	Diameter	H
NJ-S310368	40x40 mm	3 mm
Properties		
Material		AISI 304

Square handrail wall fixing


NJ-S340168



Product code	Diameter	H
NJ-S340168	40x40 mm	4 mm
Properties		
Material		AISI 304

Round straight connector 180°


NJ-J11034



Product code	Ø	H
NJ-J110342	Ø42,4 mm	3 mm
NJ-J110348	Ø48,3 mm	3 mm
Properties		
Material		AISI 304

Round wall fixing


NJ-J120148



Product code	Ø	H
NJ-J120148	Ø48,3 mm	35 mm
Properties		
Material		AISI 304

Round horizontal connector 90°


NJ-J11024



Product code	Ø	H
NJ-J110242	Ø42,4 mm	35 mm
NJ-J110248	Ø48,3 mm	35 mm
Properties		
Material		AISI 304

Round vertical connector 90°

NJ-J110148




Product code	Ø	H
NJ-J110148	Ø48,3 mm	35 mm
Properties		
Material		AISI 304

Glass balustrade systems

Top angular connector 25°- 55°


NJ-J110648



Product code	Ø	H
NJ-J110648	Ø48,3 mm	35 mm
Properties		
Material	AISI 304	

Bottom angular connector 25°- 55°


NJ-J110548



Product code	Ø	H
NJ-J110548	Ø48,3 mm	35 mm
Properties		
Material	AISI 304	

Round handrail endcap

NJ-J14014



Product code	Ø	H
NJ-J140142	Ø42,4 mm	3 mm
NJ-J140148	Ø48,3 mm	3 mm
Properties		
Material	AISI 304	